Trauma Data Collection File Specification

For XML Data Filers
January 2017
Version 3.15



Bureau of Health Care Safety and Quality Massachusetts Department of Public Health

Acknowledgements

The Bureau of Health Care Safety and Quality would like to thank the myriad of people – too numerous to list here – who have worked tirelessly to create the Massachusetts Trauma Registry. The current upgrades to the system and variable list are being done to continue the growth of the trauma registry and keep building on their knowledge and hard work.



Massachusetts Trauma Registry is maintained by the Bureau of Health care Safety and Quality, 99 Chauncy Street, 11th Floor, Boston, MA 02111. For more information about the Massachusetts Trauma Registry, contact the Massachusetts Department of Public Health, Bureau of Health Care Safety and Quality (Bureau), at (617)-753-8000, or visit

http://www.mass.gov/eohhs/gov/departments/dph/programs/hcg/oems/trauma-data/public-healthoems-trauma-system.html

Table of Contents

Acknowledgements	1
Revision History	4
Data Collection Requirement	6
Submittal Schedule	8
Protection of Confidentiality of Data	8
Trauma Data Submission Overview	8
ICD-9 to ICD-10 Transition	8
Massachusetts Trauma Registry Inclusion / Exclusion Criteria ICD-9	
Massachusetts Trauma Registry Inclusion / Exclusion Criteria ICD-10	9
FOR ICD-10-CM External Cause Code:	
Common Null Value	
Definition	
Field Values	11
Additional Information	
Validation Edit Report	12
Flag Fields for File Submission	12
Resources	12
Data File Format	14
Data Transmission Media Specifications	14
Link to Documentation	14
Help Desk Information	14
Applicable Regulations	14
Standard Definitions	
Data Field Service Level Code Definitions	
Trauma Data Quality Standards	
Differences Between Trauma File Specification Version 2.0 and Version 3.0 (this version)	
Version 3.0 XML File	
Edits based on Submitting Entity Type	
Fields no Longer Required	
Trauma Data Record Specification	
Record Specification Elements	18
Trauma Data Code Tables	
Massachusetts Trauma .XSD	153
Massachusetts Trauma Sample XML File	173

Revision History

03/06/2008 Altered the Record Specification Elements to allow for Multiple Entry for Glasgow Coma Score Assessment Qualifier in the ED Drug Use Indicators and AirBag Deployment.

03/06/2008 Altered the lookup values for GCS Assessment Qualifiers (table 8) they appeared to be out dated.

04/09/2008 Changed severity of FilingOrgID and SiteOrgID from A Error to Drop File

04/22/2008 Revised "Data to Include..." section, Incident City (remove reference to incident zip) and Drug Use Indicator (make all occurrences conditional), added Incident State and Transport Mode.

06/03/2008 Revised the Incident City to be the text description of the city instead of the FIPS Code.

06/23/2008 Revised the Patient City to be the text description of the city instead of the FIPS Code. Revised Incident State to be the 2 digit postal code instead of the FIPS Code. Removed the requirement of Non Trauma Centers to supply Drug Use Indicators.

06/30/2008 Revised to synchronize required flags

07/02/2008 Revised to make remove reference to remove reference to patient's industry and patient's occupation

07/02/2008 Revised to change the field name Inpatient or Observation Date and Time to ED/Hospital Arrival Date and Time

07/11/2008 Revised date of document, submittal schedule, added an option "9-Unknown" for Transport Mode added "9 Not possible to assign" to AIS

7/15/2008 Revised to remove the language "For Trauma Centers" from the RecordType20 since at least 1 recordtype20 is required for both Trauma and non-Trauma centers

08/06/2008 Revised Drug Use Indicator and CoMorbidity lookup table values. Added maximum record counts to Co Morbid and Complication records.

11/23/2009 Correction to differences Between Trauma File Specification Version 1.0 and Version 2.0, Primary Ecode is required in current and all previous specification versions.

12/31/2015 Update the Specification Guide to reflect the changes in data elements, additional sections to clarify the submission process, more specific information on the data that is being collected, and supplementing any additional information.

2/10/2016 Page 6 - Field Values added for Not Known and Not Applicable to make consistent with NTDB. Removed reference to custom Not Known and Not Applicable reference in columns 73 and 74.

3/29/2016 .XSD Added, Table of Contents Updated, removed domain definitions from lower .XSD, added XML sample file

3/30/2016 Removed 2 grids from the section Record Specification Elements and altered the language so that it matches the original XML guide.

3/31/2016 Formatting and adding in Error Types to the table.

4/5/2016 Formatting and changing some sections wording.

4/7/2016 Change coding range and added to exclusions for ICD10 Primary External Cause Code. Added X in non-Trauma Center column for Transport Mode.

4/11/2016 Removing column 23 Primary External Cause Code. Altered definition of column 52 to make consistent with column 75 of fixed length guide. Renamed field 104 to Additional ICD 10 External Cause Code and removed reference to Record Type 70. Altered the grid and XSD to show multiple entry. Removed from the .XSD the element Primary External Cause Code. Added an X for must be filled by non-trauma centers for field ICD10 Primary External Cause Code. Added an X for must be filled by non-trauma centers for field ICD10 Place of Occurrence External Cause Code. Removed X from Additional ICD10 Primary External Cause Code for non-Trauma centers. Removed X from Transport Mode for non-Trauma centers. Added an X for must be filled by non-trauma centers for field Hospital Discharge Date. Removed X from Service Level for non-Trauma centers.Removed X from Other Transport Mode 1-5 for non-Trauma centers.

4/12/2016 Made lowercase x's capital X's in field ED Discharge Date and ED Discharge Time. Added X to field Transport Mode for non-trauma centers. Added the Max Occurs of 50 in the XSD for Injury Diagnosis and to the grid. Added Unlimited to Protective Devices in the grid. Added the Max Occurs of 10 to the Hospital Complications element in the XSD. Added the Max Occurs of 200 to the Hospital Procedure Code element in the XSD and in the grid. Added language for a restriction of Additional ICD10 Primary External Cause Code records per Trauma record in the grid and a Max Occurs in the .XSD.

5/17/2016 Added back Primary Ecode ICD-9-CM, Location Ecode ICD-9-CM, and ICD-9-CM Diagnosis Code

7/7/2016 Made consistent XML element names in Grid, .XSD, and sample file so they match what the Trauma application requires.

7/12/2016 Added in the ICD-10 External Cause Coding criteria in Trauma Data Overview Section and clarified the Primary External Cause Code and Additional External Cause Code exclusion criteria in Record Type tables.

7/22/2016 Added notes about the XML Element Tags coding and Element Tags naming convention.

8/2/2016 Added in Data Collect Requirement Section more guidelines about the quarter submission due date. Added in Validation Edit Report more explanation about errors and identifiers needed to verify submission file errors.

8/22/2016 Added in unknown and/or not applicable coding to several coded fields and unknown and/or not applicable coding in fields with date and time. Change error types to either a warning or an error type B category specifically to the new data elements to loosen criteria while hospitals adjust to submitting them.

9/23/2016 Updated the Injury Diagnosis data field edit information to specify the inclusion criteria codes to be in the first data field while other coding can be incorporated in the rest of the data fields.

1/3/2017 Remove the choice of entering '99999' for unknown or '88888' for unknown and foreign zip code. This will leave only '99999999' for unknown and '888888888' for unknown and foreign zip code.

Data Collection Requirement

The Trauma Registry is a state database to which all hospitals are required to submit their trauma records, in accordance with the Department's Hospital Licensure regulations (105 CMR 130.851 and 105 CMR 130.852) and Circular Letter (DHCQ 08-03-483, which is currently in the process of being updated). Submission of the state trauma data is based on the criteria that are outlined in the submission guides. Any hospital that does not receive any trauma patients needs to send an e-mail to verify that they have no trauma patients entering into their institution.

The trauma registry data initial submission is required to be submitted on the designated submission quarter due date. If the records for the designated quarter are completed and closed by the hospital prior to the submission date, the hospital may submit the data early to the trauma registry for that designated quarter.

Trauma Registry personnel may, at their discretion, and for good cause, grant an extension in time to a hospital submitting trauma data.

If the Validation Detail Report indicates to a hospital it is required to resubmit data after the initial submission quarter due date because the submission was rejected **or as part of a data verification process**, the hospital must submit its data no later than 30 days following the date of the notice to resubmit. If the data is resubmitted after 60 days, the hospital will need to notify the trauma registry in order to unlock the flag field, signifying which submission file was most recently received.

Submittal Schedule

Trauma Data File **must be submitted quarterly** to Health Safety Network (HSN) and must be submitted within 75 days of the close of the quarter. Include records whose final discharge date must be within the quarter of submission.

Quarter	Quarter Begin & End Dates	Due Date for Data File: 75 days following the end of the reporting period
1	10/1 - 12/31	3/16
2	1/1 - 3/31	6/14
3	4/1 - 6/30	9/13
4	7/1 - 9/30	12/14

Protection of Confidentiality of Data

HSN shall institute appropriate administrative procedures and mechanisms to ensure that it is in compliance with the provisions of M.G.L. c. 66A, the Fair Information Practices Act, to the extent that the data collected there under are "personal data" within the meaning of that statute. In addition, HSN shall ensure that any contract entered into with other parties for the purposes of processing and analysis of this data shall contain assurances such other parties shall also comply with the provisions of M.G.L. c. 66A.

Trauma Data Submission Overview

ICD-9 to ICD-10 Transition

The U.S. Department of Health and Human Services (HHS) has mandated that all entities covered by the Health Insurance Portability and Accountability Act (HIPAA) transition from the International Classification of Diseases version 9 (ICD-9-CM) to version 10 (ICD-10-CM/PCS) on October 1, 2014 which was pushed back to October 1, 2015. Massachusetts Trauma Registry will only be collecting ICD-10-CM/PCS starting with patients admitted on or after October 1, 2015.

Massachusetts Trauma Registry Inclusion / Exclusion Criteria ICD-9

A trauma patient is defined as a patient sustaining a traumatic injury and meeting the following criteria as a principle or primary diagnosis for the state trauma registry:

ICD-9-CM until 9/30/2015

AND

Patient Admission Definition:

- Hospital inpatient admission; OR
- · Observation stay admission; OR
- Transfer patient via EMS transport (including air ambulance) from one hospital to another hospital (includes inpatient or observation or emergency department); OR
- Death (independent of hospital admission source or hospital transfer status)

Note: When coding out all the variable fields use the best code to describe the direct injury or the information surrounding how the injury occurred. Avoid using non-specified codes unless there is no other code that is better suited for the field after reviewing all the necessary documentation around the injury.

Massachusetts Trauma Registry Inclusion / Exclusion Criteria ICD-10

A trauma patient is defined as a patient sustaining a traumatic injury and meeting the following criteria as a principle or primary diagnosis for the state trauma registry:

ICD-10-CM starting 10/1/2015

S00 – S99 with 7th character modifiers of A, B, or C only (Injuries to specific body parts – initial encounter)

T07 (unspecified multiple injuries)

T14 (injury of unspecified body region)

T20 – T28 with 7th character modifier of A only (burns by specific body parts – initial encounter)

T30 – T32 (burn by TBSA percentages)

T79.A1 – T79.A19 (Upper extremity) T79.A2 - T79.A29 (Lower extremity) with 7th character modifier of A only (Traumatic Compartment Syndrome (extremity only) – initial encounter)

T75.1 with 7th character modifiers of A only (Unspecified effects of drowning and nonfatal submersion – initial encounter)

T71 with 7th character modifiers of A only (Asphyxiation / Strangulation – initial encounter)

Excluding the following isolated injuries:

S00 (Superficial injuries of the head)

- S10 (Superficial injuries of the neck)
- S20 (Superficial injuries of the thorax)
- S30 (Superficial injuries of the abdomen, pelvis, lower back, and external genitals)
- S40 (Superficial injuries of the shoulder and upper arm)
- S50 (Superficial injuries of the elbow and forearm)
- S60 (Superficial injuries of the wrist, hand, and fingers)
- S70 (Superficial injuries of the hip and thigh)
- S80 (Superficial injuries of the knee and lower leg)
- S90 (Superficial injuries of the ankle, foot, and toes)

Late effect codes, which are represented using the same range of injury diagnosis codes but with the 7th digit modifier code of D through S, are also excluded.

AND

Patient Admission Definition:

- Hospital inpatient admission; OR
- Observation stay admission; OR
- Transfer patient via EMS transport (including air ambulance) from one hospital to another hospital (includes inpatient or observation or emergency department); OR
- Death (independent of hospital admission source or hospital transfer status)

Note: When coding out all the variable fields use the best code to describe the direct injury or the information surrounding how the injury occurred. Avoid using non-specified codes unless there is no other code that is better suited for the field after reviewing all the necessary documentation around the injury.

FOR ICD-10-CM External Cause Code:

MUST be present if principal diagnosis is an injury: ICD-10-CM (<u>\$00-\$99</u>) or the following T-Codes:

(T07) unspecified multiple injuries

(T14) injury of unspecified body region

(T20-T32) burns and corrosions

(T79.A1 – T79.A19) upper extremity

(T79.A2 - T79.A29) lower extremity

(T75.1) drowning or nonfatal submersion

(T71) asphyxiation / strangulation

- If present, **MUST** be a valid ICD-10-CM External Cause Code of **V00-Y38**, **Y62-Y84** (3 - 7 digits with decimal point excluded).

- **ASSOCIATED** diagnostic fields may be used for additional external cause codes (V, W, X, Y) including <u>supplemental</u> codes: Y90-Y99 (place of injury, activity, status) and Z00-Z99 (factors influencing health status and seeking services).

Common Null Value

Definition

Common Null Value is a term used with Trauma Registry Data Elements to describe a blank field for specifically-defined data fields when an answer cannot be provided.

Field Values

Blank field - Not Applicable/Not Known/Not Recorded/Not Documented

Date and Time Coding

99:99 - Not Applicable/Not Known/Not Recorded/Not Documented

9999999 - Not Applicable/Not Known/Not Recorded/Not Documented

Coded Unknowns

9, 99, 999999999, 888888888, and 999999.9

ED Discharge Disposition

99 = Not Applicable and 88 = Unknown

Additional Information

- Not Applicable: This null value code applies if, at any time of patient care
 documentation, the information requested was "Not Applicable" to the patient, the
 hospitalization or the patient care event. For example, variables documenting EMS
 care would be NA if a patient self-transports to the hospital.
- Not Known/Not Recorded/Not Documented: This null value applies if, at the time of
 patient care documentation, information was "Not Known" (to the patient, family,
 healthcare provider) or no value for the element was recorded for the patient. This
 documents that there was an attempt to obtain information, but it was unknown by
 all parties or the information was missing at the time of documentation. For

example, injury date and time may be documented in the hospital patient care report as "Unknown". Another example, Not Known/Not Recorded/Not Documented should also be coded when documentation was expected, but none was provided (i.e., no EMS run sheet in the hospital record for patient transported by EMS).

Validation Edit Report

Once the file is submitted through the INET application software, a validation edit report is generated and sent back through INET to the submitter. It is the responsibility of the submitter to get the report from INET and make sure that the file passed all edit checks. The validation edit report specifies the edit errors that triggered the file failure. The submitting team has 30 days to resubmit the file. The file needs to be reprocessed until there is a passing file sent in for that year and quarter.

When making an inquiry about an error, the Submission Control ID is the identifier for the submission file and the Edit ID is the identifier of the error. These two identifiers are needed to determine what issues are present on the submission file. When emailing the State Trauma Registry about a submission file that failed or dropped include the Submission Control ID and Edit ID. A warning error is a trigger that will show an error has occurred but it will not count towards failing the submission. See the Trauma Data Quality Standards section for more information about how a submission fails or dropped.

Flag Fields for File Submission

There are two flag fields used to identify the file that should be processed. One flag identifies the most recent file that was sent to be processed (Active) and the other flag identifies the file status (Status). Once a file has been identified as passed and the most recent file, another file sent into the same year and quarter can knock the file out of the most recent file category. The flag field (Active) will be locked into place after 60 days of the last file being entered into the system.

If the submitter is not able to resubmit the file until after 60 days of the original submission, you will need to contact the Bureau epidemiologist to request that the active field is unlocked then resubmit the file.

Resources

Resources for Optimal Care of the Injured Patient – This document corresponds with the evolution of the philosophy of care set by the American College of Surgeons Committee on Trauma (ACS – COT). This is the oldest standing committee of ACS. This document emphasizes the principle that the needs of all injured patient s are addressed wherever

they are injured and wherever they receive care. Available at: https://www.facs.org/quality-programs/trauma/vrc/resources/

American College of Surgeons National Trauma Data Standard: Data Dictionary 2016 (NTDB) – This document is designed to establish a national standard for the exchange of trauma registry data, and to serve as the operational definitions for the National Trauma Data Bank. This document will serve as a reference guide when working with the data variables that are being required for the state trauma registry. Available at: http://www.ntdsdictionary.org/ Archives of the data dictionary are available at: http://www.ntdsdictionary.org/softwareVendors/theNTDSArchive.html

ICD - 10 – CM - The Centers for Medicare and Medicaid Services (CMS) and the National Center for Health Statistics (NCHS), two departments within the U.S. Federal Government's Department of Health and Human Services (DHHS) provide the following guidelines for coding and reporting using the International Classification of Diseases, 10th Revision, Clinical Modification (ICD-10-CM). These guidelines should be used as a companion document to the official version of the ICD-10-CM as published on the NCHS website. The ICD-10-CM is a morbidity classification published by the United States for classifying diagnoses and reason for visits in all health care settings. The ICD-10-CM is based on the ICD-10, the statistical classification of disease published by the World Health Organization (WHO). The ICD-10-CM coding contains up to 7 characters and are alphanumeric. Available at: https://www.cms.gov/Medicare/Coding/ICD10/2016-ICD-10-CM-and-GEMs.html

ICD – 10 – PCS – The International Classification of Diseases, 10th Revision, Procedure Coding System (ICD-10-PCS) is used to code out the procedures that were done for the trauma cases. The ICD-10-PCS coding contains 7 characters that represent the section, body system, root operation, body part, approach, device, and qualifier which are coded using the information in the PCS code tables. Available at: https://www.cms.gov/Medicare/Coding/ICD10/2016-ICD-10-CM-and-GEMs.html

Data File Format

The data for Trauma Data must be submitted in a XML file consistent with the .XSD sample and Massachusetts Trauma XML sample in the back of this guide.

The file layout needs to be set up by the information technology (IT) services in your institution using the samples as guides in the back of this guide. This will help with the transfer of the data from the hospital system to the state trauma registry system.

Data Transmission Media Specifications

Link to Documentation

This is the link to the circular letter, submission guides based on submission type, and the data elements that are required based on trauma designation: http://www.mass.gov/eohhs/gov/departments/dph/programs/hcq/oems/trauma-data/public-health-oems-trauma-system.html

Help Desk Information

If you have any questions or need to set up the SENDS/INET submission system to send in trauma data files, you can contact the HSN help desk. The HSN help desk email is hsnhelpdesk@state.ma.us and the help desk phone number is 1-800-609-7232 for any SENDS/INET questions, updates, and installation.

Applicable Regulations

Terms used in this bulletin are defined in the Hospital Licensure regulations' general definition section (105 CMR 130.020) or are defined in this bulletin. If a term is not otherwise defined, use any applicable definitions from the other sections of the regulation. Relevant sections of the regulation include:

<u>Designated Trauma Center:</u> A hospital that has been verified by the American College of Surgeons as a level 1, 2 or 3 adult trauma center, or a level 1 or 2 pediatric trauma center, as defined in the document 'Resources for Optimal Care of the Injured Patient: 1999' by the Trauma Subcommittee of the American College of Surgeons (ACS) and its successors; and meets applicable Department standards for designation, or a hospital that has applied for and is in the process of verification as specified in 105 CMR 130.851 and meets applicable. (105 CMR 130.020, definition of "service," (Z))

<u>Data Submission Requirement for Designated Trauma Centers:</u> The hospital provides to the Division of Health Care Finance and Policy (now the Center for Health Information and Analysis – hereinafter, CHIA) the designated trauma center data set to be specified in administrative requirements jointly developed

by the Department and the Division of Health Care Finance and Policy (CHIA), and promulgated by the Department. (105 CMR 130.851(D))

<u>Data Submission Requirement for Hospitals that are not Designated Trauma Centers:</u> (A) The hospital provides to the Division of Health Care Finance and Policy (CHIA) the trauma service hospital data set to be specified in administrative requirements jointly developed by the Department and the Division of Health Care Finance and Policy (CHIA). (105 CMR 130.852(A))

Standard Definitions

Terms used in this document and resources are defined in this section.

Division of Health Care Finance and Policy – Former name of the Center for Health Information and Analysis (CHIA), which monitors a wide variety of health care indicators in Massachusetts to promote improved quality, affordability, access, and outcomes in the Massachusetts health care system. CHIA reports provide data and analysis on providers, insurers, and payers to help legislators, policymakers, insurers, and providers understand the health care indicators in Massachusetts.

Health Safety Net - pays acute care hospitals and community health centers for essential health care services provided to uninsured and underinsured Massachusetts residents. The SENDS/INET applications are provided by HSN to be used by trauma data submitters.

Data Field Service Level Code Definitions

Outpatient Emergency Department Stay: All emergency department visits, including Satellite Emergency Facility visits, by patients whose visits result in neither an outpatient observation stay nor an inpatient admission at the reporting facility.

Outpatient Observation Stay: Patient who receive observation services and who are not admitted. Example: A post-surgical day care patient who, after a normal recovery period, continues to require hospital observation and then is released from the hospital.

Inpatient Stay: Patient who has been admitted as an inpatient visit at the reporting facility.

Death on Arrival: A patient becomes decreased in route to the reporting facility.

Trauma Data Quality Standards

The data will be edited for compliance with the edit specifications set forth in this document. The standards to be employed for rejecting data submissions from hospitals will be based upon the presence of Category A errors as listed for each data element under the following conditions:

All errors will be recorded for each patient Record and for the Submission as a whole. An Edit Report will be provided to the data submitter, displaying detail for all errors found in the Submission.

A Trauma **Record** will be rejected if there is:

- Presence of one or more errors for Category A (A) elements.
- Presence of two or more errors for Category B (B) elements.

A Trauma data Submission will be rejected (Dropped) if:

- The file format is not correct
- FilingOrgID on the Record Type 10 does not match the OrgID of the Organization who files the submission on INET
- 1% or more of Trauma records are rejected or
- 50 consecutive records are rejected.

Failed filings must be resubmitted within 30 days.

Warnings – Warnings (W) may be reported on the validation detail reports or edit error reports to Hospitals. These data fields are noted but will not cause a file or record to fail. An example, a date field is not filled out since there is no data available for that case/patient.

Acceptance of data under the edit check procedures identified in this document shall not be deemed acceptance of the factual accuracy of the data contained therein.

Differences Between Trauma File Specification Version 2.0 and Version 3.0 (this version)

More detailed descriptions ICD-10-CM inclusion and exclusion criteria, regulation definitions, data transmission information is updated, clarification to the quality standards, and additional data elements.

Version 3.0 XML File

Version 3.0 will continue to allow for the XML based file and the specified fixed length file format to be accepted into the system. The files will have updated information on how the data is being sent over to the system.

Edits based on Submitting Entity Type

The Trauma Registry will consist of two tier edits performed on the submitted data. The edits performed will be different based on data submitted by trauma centers and that submitted by non-trauma center acute care hospitals that treat trauma centers. The edit differences will be noted in the file specification section below. The Trauma Registry data and its edits will be generally compatible with the ACS's National Trauma Data Bank (NTDB).

Fields no Longer Required

The following fields were required in Trauma File Specification Version 2.0 but are no longer required.

Fields No Longer Required

Discharge Time from Transferring Hospital ISS Body Region Locally Calculated ISS Location of Direct Admission

Trauma Data Record Specification

Record Specification Elements

The Trauma Data File is modeled after the National Trauma Data Bank's National Trauma Data Standard 2016 Data Dictionary. There are several fields that are specific to Massachusetts that will not be a part of the National Trauma Data Standards. All the data variables from the National Trauma Data Standard have not been modified. Every effort has been made to keep the definition of elements found in the National Trauma Data Standard consistent in this specification.

Note: XML submitters need to make sure the element tags that are used in the filing is the same as the field names in the table (upper grid), .XSD, or sample data. For example, "FieldNAME" would need to be "FieldNAME" in the file not FieldName.

<u>F#</u>	Field Name	Must be Filed	Must be	<u>National</u>	XSD Field	XSD Data	Multiple	Required	<u>Edit</u>	Field Definition	<u>Erro</u>
		By Trauma	Filed by	Element	<u>Name</u>	<u>Type</u>	<u>Entry</u>		<u>Specification</u>		<u>r</u>
		<u>Centers</u>	Non-	1							<u>Type</u>
			<u>Trauma</u>								
			<u>Centers</u>								
	FilingOrgId	Х	X	Yes	FacilityId	xs:string	No	R	Must be	The	Drop
									present.	Organization ID	File
										assigned by the	
									Characters	Center for	
			6 7	4					must be	Center for	
									numeric.	Health	
1										Information	
		0 4							Must be valid	and Analysis	
	A								entry as	(CHIA) to the	
			A STATE OF THE STA						specified in	provider filing	
		A							Data Code	the submission.	
									Tables. (Table		
									1)		

	SiteOrgID	Х	Х	No	FacilitySitel	xs:string	No	R	Must be	The	Drop
					d				present.	Organization ID	File
										assigned by the	
								A	Characters	Center for	
									must be	Health	
									numeric.	Information	
									Must be valid	and Analysis	
						A			entry as	(CHIA) to the	
									specified in	provider of care	
									Data Code	for the trauma.	
2									Tables. (Table		
									I)		
				4	4 6				Must be equal		
									to the		
				4					FilingOrgID if		
									the Site and		
									Filing		
			A						Organization		
									are the same		
									Organization.		
	Inter-Facility Transfer	Х	X	Yes	InterFacilit	xs:integer	No	R	Must be	Was the patient	Α
			9/7	J	yTransfer				Present.	transferred <u>to</u>	
									NA	your facility	
		o A							Must be a 1 or	from another	
		A A	1						2.	acute care	
3										facility?	
										1 = Yes	
										2 = No	
										Z - INU	
										A patient	
		<u> </u>								transferred	
										transierreu	

					4 0					from a private doctor's office, stand-alone ambulatory surgery center, or delivered to your hospital by a non-EMS transport is not considered an inter-facility transfer.	
4	SiteOrgID of Transferring Hospital	X	X	No	FacilitySiteI dOfTransfe rringHospit al	xs:integer	No	C	Must be present if Inter-Facility Transfer is '1' If present and the Transferring Hospital is instate, must be valid entry as specified in Data Code Tables. (Table 1) If the Transferring Hospital is out	The Organization ID assigned by the Center for Health Information and Analysis (CHIA) to the site from which the patient was transferred.	A

									of state enter '9999999'.		
5	Departure Time from Scene of Transferring	X	X	No	DepartureT imeSceneO rTransferri ng	Xs:time	No	С	May be present if Inter-Facility Transfer=1. Collected as HH:MM military time. Must range from 00:00 to 23:59	Time the patient left the originating hospital if a transfer patient.	W
									If time is unknown/not applicable then enter '99:99'		
6	ED Discharge Date	X	X		EDDischarg eDate	Xs:date	No	R	Must be a valid date format (CCYYMMDD).	Filler changed back to ED discharge date	В
7	Ed Discharge Time	X	Х		EDDischarg	Xs:time	No	R	unknown/not applicable then enter '99999999' Collected	Filler changed	В

	1	ı	ı	_	I	1	ı			<u> </u>	
					eTime				asHH:MM	back to ED	
									military time.	discharge time	
									Must range		
									from 00:00 to		
							4		23:59		
						4			If time is		
									unknown/not		
							X		applicable		
									then enter		
						A	Total Control of the				
									'99:99'		
	ED/Hospital Arrival Date	X	Х	Yes	HospitalArr	Xs:date	no	R	Must be a	Ifthe patient	Α
					ivalDate				valid date	was brought to	
				4	4				format	the ED, enter	
				1					(CCYYMMDD).	date	
									(00::::::::::::::::::::::::::::::::::::	patientarrived	
									50/11 11/4		
									ED/HospitalAr	at ED. If patient	
									rival Date	wasdirectly	
									cannot be	admitted to the	
									earlier than	hospital, enter	
									EMSDispatch	date patientwas	
8				J P					Date.	admitted to the	
									Date.	hospital.	
									55/11 11 14	nospitai.	
									ED/HospitalAr		
									rival Date		
									cannot be		
			#						earlier than		
		A T							EMS Unit		
									Arrival on		
									SceneDate.		
									ocenepate.		
		-									
									ED/HospitalAr		

ED/HospitalAr rival Date cannot belater than HospitalDischa rge Date. ED/HospitalAr rival Date cannot be earlier than Date of Birth. ED/HospitalAr rival Date cannot be earlier to Birth.

				4	1				ED/HospitalArr ival Dateminus Injury Incident Dateshould be less than 30 days ED/HospitalAr rival Dateminus EMS Dispatch Date cannot be greater than 7 days		
9	ED/Hospital Arrival Time	X	X	Yes	HospitalArr ivalTime	Xs:time	no	R	Collected as HH:MM military time. Must range from 00:00 to 23:59. If time is unknown/not applicable then enter '99:99' ED/HospitalAr rival Time cannot be earlier than	The time the patient arrived to the ED/Hospital. If the patient was brought to the ED, enter time patient arrived at ED. If patient was directly admitted to the hospital, enter time patient was admitted to the hospital.	A

T			1		Г		1	
						EMS Dispatch		
						Time.		
						ED/HaanitalAun		
						ED/HospitalArr ival Time		
						cannot be		
						earlier than		
						EMS Unit		
						Arrival on		
						Scene Time.		
						_		
				A A				
						ED/HospitalArr		
			4			ival Time		
		4				cannot be		
		4				earlier than		
						EMS Unit		
						Scene		
						Departure		
						Time.		
						/		
						ED/HospitalArr		
	• / 7					ival Time cannot be later		
						than ED		
						Discharge		
						Time.		
						Time.		
	X Y					ED/HospitalArr		
						ival Time		
						cannot be later		
	7					than Hospital Discharge		
						Time.		

	Medical Record Number	Х	Х	No	MedicalRec	Xs:string	No	R	Must be	Patient's	Α
10					ordNumber				present.	hospital	
10								4		Medical Record	
										Number	
	Social Security Number	Х	Х	No	PatientId	Xs:string	No	R	Must be	Patient's Social	Α
									present if	Security	
									known.	Number	
							7		Must be		
11						A			numeric.		
									Must be a		
					4 (/	1) /			valid social		
									security		
				4					number or		
									'000000001' if		
									Unknown		
	Date of Birth	Х	X	Yes	DateOfBirt	Xs:date	no	R	Must be	Patient's Date	Α
					h				present.	of Birth	
									Must be a		
			6/7	1					valid date		
									format		
12		• A							(CCYYMMDD).		
12									If date is		
			7						unknown then		
		A Y							enter		
									'99999999'.		
									If Date of Birth		
			_						is "Not		

Scene Date.

							cannot be later	
							than EMS Unit	
							Scene	
						A	Departure	
							Date.	
)	Date of Birth	
							cannot be later	
							than	
							ED/Hospital	
					7		Arrival Date.	
				A				
							Date of Birth	
			1 ()	A J			cannot be later	
		4	AK				than ED	
							Discharge	
							Date.	
							Date of Birth	
							cannot be later	
							than Hospital	
							Discharge	
		,					Date.	
	9/7							
	A						Date of Birth +	
							120 years must	
							be less than	
							ED/Hospital	
							Arrival Date.	
							Field cannot	
							be Not	
							Applicable.	

	Gender	Х	Х	Yes	Sex	Xs:integer	no	R	Must be	Patient Gender.	Α
									present.		
										Patients who	
								A	Must be 1-	have	
									Male, 2-	undergone a	
4.2									Female.	surgical and/or	
13										hormonal sex	
						A A				reassignment	
										should be	
							7			coded using the	
										current	
						A				assignment.	
	Patient Zip Code	Х	Х	Yes	HomeZip	Xs:string	No	С	Must be	The patient's	Α
									present unless	home ZIP code	
				•					Patient	of primary	
				1					Country is not	residence. 4-	
									the United	Digit zip code	
									States.	extension can	
			A							be applied.	
									Must be		
									numeric.	May require	
										adherence to	
14			6/9	ď					Must be a	HIPAA	
									valid postal	regulations.	
									code.		
									If patient zip		
			#						code is		
		J. Y							unknown then		
									enter '999999999'.		
									If patient zip		
		1							code is a		
									foreign zip		

				code and unknown then enter '888888888'. If ZIP/Postal code is "Unknown," record UNK and complete variable: Alternate Home Residence. If ZIP/Postal code is "NotKnown/N ot Recorded," record UNK and complete variables: Patient's Home Country, Patient's Home State (USonly), Patient's Home County (US only) and	
				Home County	

									only).		
	Injury Incident Date	Х	X	Yes	IncidentDat e	Xs:date	No	R	Must be present.	The date the injury occurred.	A
							5		Must be a valid date format (CCYYMMDD).	Estimates of date of injury should be based upon report by	
				4	1 6		7		InjuryIncident Date cannot be earlier than Date of Birth.	patient, witness, family, or health care provider. Other	
15			A	4					InjuryIncident Date cannot be later than EMS Dispatch	proxy measures (e.g., 911 call time) should not be used.	
									InjuryIncident Date cannot be later than EMS Unit Arrival on SceneDate.		
		>							InjuryIncident Date cannot be later than EMS Unit Scene		

									Departure Date. InjuryIncident Date cannot be later than ED/Hospital Arrival Date. InjuryIncident Date cannot be later than		
				4	1				ED Discharge Date. InjuryIncident Date cannot be later than HospitalDischa rgeDate.		
16	Injury Incident Time	X	X	Yes	IncidentTi me	Xs:time	No	R	Must be present. Collected as HH:MM military time. Must range from 00:00 to 23:59. If time is unknown/not	The time the injury occurred. Estimates of time of injury should be based upon report by patient, witness, family, or health care provider. Other proxy measures	А

							applicable then enter '99:99' InjuryIncidentT ime cannot be later than EMS Dispatch Time. InjuryIncidentT ime cannot be later than EMS Unit Arrival on Scene Time. InjuryIncidentT ime cannot be later than EMS Unit Scene Departure Time. InjuryIncidentT ime cannot be later than EMS Unit Scene Departure Time. InjuryIncidentT ime cannot be later than ED/Hospital Arrival Time. InjuryIncidentT ime cannot be later than ED/Hospital Arrival Time. InjuryIncidentT ime cannot be later than ED Discharge Time.	(e.g., 911 call time) should not be used.	
--	--	--	--	--	--	--	---	---	--

								5	InjuryIncidentT ime cannot be later than Hospital Discharge Time.		
	Work-related	Х	Х	Yes	WorkRelat	Xs:integer	No	R	Must be a 1, 2,	Indication of	Α
					ed				or 9.	whether the injury occurred	
							7		Work-Related	during paid	
						A			should be 1	employment.	
									(Yes) when		
				4	4 6				Patient's	1 = Yes 2 = No	
				A					Occupation is not: (1) blank,	9=UNK	
				A	A				(2) Not		
									Applicable,		
									or(3) Not		
17									Known/Not		
									Recorded.		
									Work-		
									Relatedshould		
									be 1 (Yes)		
									when Patient's		
									Occupational		
		A T							Industry is not: (1)		
									blank,		
									(2)NotApplicab		
									le,or (3) Not Known/NotRec		

									orded.		
18	Patient Street Address	X	X	No	PatientStre etAddress	Xs:string	No	R	Must be present. If patients are not classified as homeless, migrant workers, or undocumente d citizen then address is unknown enter 'UNK'. If patients are classified as homeless, migrant workers, or undocumente d citizen then address is not applicable enter 'NA' and fill out Alternate Home Residence.	The patient's home street address.	A
19	Incident City	X	Х	Yes	IncidentCit y	Xs:string	No	R	Must be present and must be the text value of the Incident	The city or township where the patient was found or to which the unit	W

	Alcohol Use Indicator X		Yes	AlcoholUse	Xs:integer	No	C	City name when Incident Location ZIP/Postal code is not entered. If Incident City is unknown then enter 'UNK'.	responded (or best approximation). Only completed when Incident LocationZIP/Pos tal code is "Not Applicable" or "Not Known/Not Recorded", and country is US. Used to calculate FIPScode. If incident location resides outside of formal city boundaries, report nearest city/town.	A
20		,		Indicators				If present must be coded as:	Blood alcohol concentration (BAC) may be	

treatingthis patient event. 2. No (confirmed by test) 3. Yes (confirmed by test [trace levels]) 4. Yes (confirmed by test [trace levels]) 5. Ifalcohol use is suspected but not confirmed by test. 6. Ifalcohol use is suspected but not confirmed by test. 7. Ifalcohol use is suspected but not confirmed by test. 8. Ifalcohol use is suspected but not confirmed by test. 8. Ifalcohol use is suspected but not confirmed by test. 8. Ifalcohol use is suspected but not confirmed by test. 9. Ifalcohol use is suspected, but not confirmed by test. 1. Ifalcohol use is suspected, but not confirmed by test, record 5 - "Not Known/Not Recorded."						(confirmed by test) 3. Yes (confirmed by test [trace levels]) 4. Yes (confirmed by test [beyond legal limit]) 5. Ifalcohol use is suspected but not confirmed by	patient event. "Trace levels"is defined asany alcohol level below the legal limit but not zero. "Beyond legallimit" is defined as a blood alcohol concentration above the legal limitfor the state in which the treating institution is located.above any legal limit, DUI,DWI or DWAI, would apply here. Ifalcohol use is suspected,but not confirmed by test,record 5 - "Not Known/Not	
--	--	--	--	--	--	---	---	--

	Drug Use Indicators	X	Yes	DrugUseIn	Xs:Integer	YES: Max	С	May be	Use of drugs by	Α
				dicator		2		present.	the patient.	
								1. No (not tested)	Drug use may be documented at any facility,	
								2. No (confirmed by test)	unit or setting treating this patientevent.	
				18	5			3. Yes (confirmed by test [prescription drug])	"Illegal use drug" includes illegal use of prescription drugs.	
21								4. Yes (confirmed by test [illegal use drug])	Thisdata element refers to drug use by	
								5. Ifdruguse is suspected,but not confirmed by test.	the patient and does not include medical treatment.	
									Ifdrug use is suspected, but not confirmed by test, record	
									5 - "Not Known/Not Recorded."	

	Patient City	Х	Х	Yes	HomeCity	Xs:string	No	R	Must be	The patient's	Α
									present and	city (or	
									must be the	township, or	
								A	text value of	village) of	
									the Patient's	residence.	
									Home City		
									name when	Only completed	
22						1			Patient's	when	
									ZIP/Postal	ZIP/Postal code	
									code is not	is "Not	
							<i>)</i>		entered.	Known/Not	
						A A				Recorded" and	
									If patient city	countryExternal	
					1 (/				is unknown	is US.	
				4					then enter		
	1 ''' 1 Cl			v				-	'UNK'.	e:	
	Initial Glasgow Eye	Х		Yes	GcsEye	Xs:integer	no	С	Must be coded	First recorded	Α
	Component in ED								as:	Glasgow Coma	
			A.							Score (Eye) in	
									1. No eye	the ED/hospital	
									movement .	within 30	
									whenassessed	minutes or less	
			6 /%	4						of ED/hospital	
									2. Opens eyes	arrival.	
24									in responseto	Used to	
									painful	calculate	
									stimulation	Overall GCS -	
			Jan 1997							ED Score.	
		A T							3. Opens eyes		
									in responseto	Ifa patient does	
									verbal	not have	
									stimulation	anumeric	
										GCSscore	

								4. Opens eyes spontaneously	recorded, but written	
								Sportaneously	documentation	
							A T		closely (or	
									directly) relates	
									to verbiage	
						A			describing a	
									specific level	
									offunctioning	
									within the GCS	
									scale, the	
					A				appropriate	
									numeric	
				1					scoremay be	
			4	AK					listed. E.g. the	
									chart indicates:	
									"patient	
									withdraws from	
		A							a painful	
									stimulus," a	
									Motor GCS of 4	
									maybe	
		6 7	4						recorded, IF	
									there is no	
									other	
									contradicting	
									documentation.	
	A Y								Please note	
									that first	
									recorded/hospi	
	F								talvitals do not	
									need to be	

		1		ı	ı		1				
										from the same	
										assessment.	
	Initial Glasgow Verbal	Х		Yes	GcsVerbal	Xs:integer	No	C	Must be coded	First recorded	Α
	Component in ED								as:	Glasgow Coma	
										Score (Verbal)	
									Pediatric (<= 2	within 30	
									Years)	minutes or less	
										of ED/hospital	
									1.No Vocal	arrival.	
									Response		
									2.	Used to	
									Inconsolable,	calculate	
									agitated	Overall GCS -	
					4 (/				3.	ED Score	
				· ·					Inconsistentlyc		
				1					onsolable,	Ifpatient is	
									moaning	intubated then	
25									4. Cries but	the GCS Verbal	
			A						isconsolable,	scoreis equal to	
									inappropriate	1.	
									interactions		
									5. Smiles,	Ifa patient does	
			6/9	4					oriented to	not have	
									sounds, follow	anumeric	
									objects,	GCSscore	
		0 4							interacts	recorded, but	
	A									written	
									Adult	documentation	
		A T								closely (or	
									1. No verbal	directly) relates	
									response	to verbiage	
		7							2.	describing a	
									Incomprehensi	specific level	

	Initial Glasgow Motor	X	Yes	GcsMotor	Xs:integer	No	C	ble sounds 3. Inappropriate words 4. Confused 5. Oriented	offunctioning within the GCS scale, the appropriate numeric scoremay be listed. E.g. the chart indicates: "patient withdraws from a painful stimulus," a Motor GCS of 4 maybe recorded, IF there is no other contradicting documentation. Please note that first recorded/hospi talvitals do not need to be from the same assessment. First recorded	A
26	Component in ED	Y						as: Pediatric (<= 2 Years)	Glasgow Coma Score (Motor) within30 minutes or less of ED/hospital	

								Y	recorded, IF there is no other contradicting documentation. Please note that first recorded/hospi talvitals do not need to be from the same assessment.	
27	Glasgow Coma Score Total in the ED	X	Yes	TotalGcs	Xs:integer	No	C	May be present. If present must be numeric and must be the sum of Eye, Verbal and Motor.	First recorded Glasgow Coma Score (total) within 30 minutes or less of ED/hospital arrival. If a patient doesnot have anumeric GCSrecorded, but there is documentation related to their level of consciousness such as "AAOx3," "awake	A

									alertand	
									oriented,"or	
									"patient with	
							AL Y		normal mental	
									status,"interpre	
									t this as GCS of	
									15 IF there is no	
					A				other	
									contradicting	
						7			documentation.	
						7				
						P			Please note	
									that first	
									recorded/hospi	
									talvitals do not	
									need to be	
									from the same	
									assessment.	
									Sum of Eye,	
									Verbal, and	
									Motor valid 2	
		6/	4						digit score	
									should add up	
									to the total. Do	
									not include	
									unknown or not	
									applicable code	
									in summation.	
	Glasgow Coma Score	Х	Yes	GcsQualifie	Xs:integer	Yes Max	С	May be	Documentation	Α
	Assessment Qualifier in			r		3		present.	of factors	
28	the ED							-	potentially	
								If present	affecting the	
		<u> </u>						•	<u> </u>	

			notpossible, the n the patient should beconsidered to have an exam that is not reflective of their neurologic statusand the chemical sedation modifier should be selected. Neuromuscular blockade is typically induced following the administration of agent like succinylcholine, mivacurium, roc uronium, (cis)atracurium, vecuronium,or pancuronium.W
			mivacurium,roc uronium, (cis)atracurium, vecuronium,or pancuronium.W
			hile these are themost common
			agents, please reviewwhat might be

Respiration Rate X X Yes Respiratory Xs:integer No R Must be First recorded W Rate present. respiratory rate

				1							
									Must be	ED/hospital	
									numeric.	within 30	
										minutes or less	
								A y	Cannot be> 99	of ED/hospital	
									for age in	arrival	
						4		4	years >= 6 OR	(expressed as a	
									RR cannot be	number per	
									> 120 for age	minute).	
									in years< 6.		
									Ifage and age	Ifavailable,	
									units are not	complete	
						The state of the s			valued, RR	additional	
									cannot be>	field:Initial	
									120	ED/Hospital	
				•						RespiratoryAssi	
				1					Cannot be>99	stance.	
									and <=120for		
									age in years <	Please note	
									6. Ifage and	that first	
									age units are	recorded/hospi	
									not valued, RR	talvitals do not	
									cannot be > 99	need to be	
			6/9	4						from the same	
										assessment.	
	Blood Pressure	Х	X	Yes	Sbp	Xs:integer	No	R	Must be	First recorded	W
									present.	systolic blood	
										pressure in the	
			#						Must be	ED/hospital	
30		A Y							numeric.	within	
										30minutes or	
									Must be	less of	
		<i>J</i>							between 0 and	ED/hospital	
									299.	arrival.	

	Pulse Rate	X	X	Yes	PulseRate	Xs:integer	No	R	Must be	Measurementre corded must be without the assistance of CPR oranytype of mechanical chest compressiondev ice. For those patients who are receiving CPR or any type of mechanical chest compressions, report the value obtained while compressions are paused.	W
31	. 2.52 11412				· discrided	70		.,	present. Must be	pulse in theED/hospital (palpated or	

T	<u> </u>	1	Т		1	 		_
						numeric.	auscultated)	
							within 30	
						Must be	minutes or less	
						between 0 and	of ED/hospital	
						299.	arrival	
							(expressed as a	
							number per	
				. 4			minute).	
							Please note	
							that first	
							recorded/hospi	
							talvitals do not	
							need to be	
							from the same	
		4					assessment.	
							Measurementr	
							ecorded must	
							be without the	
							assistance of	
							CPR oranytype	
	6/7						of mechanical	
							chest	
							compressionde	
							vice. For those	
							patients who	
							are receiving	
	7						CPR or any type	
							of mechanical	
							chest	
							compressions,	
							report the value	

										obtained while compressions are paused.	
32	Incident State	X	X	Yes	IncidentSta	Xs:string	No	R	Must be present and must be a valid 2-digit postal state code as found in Table 2.	The state, territory, or province where the patient was found or to which the unitresponded (orbest approximation). Only completed when Incident LocationZIP/Pos tal code is "Not Applicable" or "Not Known/Not Recorded", and country isUS. Used to calculate FIPScode.	W
33	Transport Mode	X	X	Yes	Transport Mode	Xs:string	No	R	Must be present. When present must be coded as:	The mode of transport delivering the patient to your hospital.	В

								1. Ground Ambulance 2. Helicopter Ambulance 3. Fixed- wingAmbulanc e 4. Private/Public Vehicle/Walk- in 5. Police 6. Other 9. Unknown		
34	DPH Facility ID Number	X	X	No	DPHFacility IDNumber	Xs:string	No	Must be valid code from table 1.	A number assigned by the Department of Public Health to identify the facility.	В
35	Service Level	x		No	ServiceLev el	Xs:integer	No	Must be coded as: 1 - Outpatient Emergency Department	The highest level of service provided in the hospital setting.	В

									Stay 2- Outpatient Observation Stay 3 – Inpatient Stay 4 - Death on Arrival	Code values 1-4.	
36	Patient Home Country	X	X	Yes	PatientHo meCountry	Xs:string	No	C	2 digit alpha country code. If patient home country unknown or not applicable then enter 'NA'. If Patient's Home Country is not US, then the null value "Not Applicable" is used for: Patient's Home State, Patient's Home County, and Patient's Home City.	The country where the patient resides. Relevant value for data element (two digit alpha country code) Values are two character FIPS codes representing the country (e.g.,US). If Patient's Home Country is not US, then the null value "Not Applicable" is used for: Patient's Home	В

									Y	State, Patient's Home County,and Patient's Home City.	
	Patient Home County	X	Х	Yes	PatientHo meCounty	Xs:integer	No	O	Must be a 3 digit numeric FIPS code.	The patient's county(or parish) of residence. Relevant value for data element (three digit numeric FIPS code).	В
37										Only completed when ZIP/Postal code is "Not Known/Not Recorded" and country is US. Used to calculate FIPS code.	
38	Alternate Home Residence	X	Х	Yes	AlternateH omeReside nce	Xs:String	No	С	Must be coded as: 1 – Homeless 2 – Undocumente	Documentation of the type of patient without a home ZIP/Postal code.	В

								d Citizen 3 – Migrant worker	Only completed when ZIP/Postal code is "Unknown." Homeless is defined as a person who lacks housing. The definition also includes a person living in transitional housing or a supervised public or private facility providing temporary living quarters. Undocumented Citizen is defined as a national of another country who has entered or stayed in another country without permission.	
--	--	--	--	--	--	--	--	------------------------------	---	--

										Migrant Worker is defined as a person who temporarily leaves his/her principal place of residence within a country in order to accept seasonal employment in the same or different country.	
39	Age	X	X	Yes	Age	Xs:integer	No	R	Age must be within the valid range of 0 – 120. Injury Date minus Date of Birth should equal submitted Age as expressed in the Age Units specified. Age is greater than expected for the Age	The patient's age at the time of injury (best approximation). Used to calculate patient age in minutes, hours, days, months, or years. If Date of Birth is "Not Known/Not Recorded", complete	В

									Units specified. Age should not exceed 60 minutes, 24 hours, 30 days,24 months, or 120 years. Please verify this is correct. Field must be Not Applicable when Age Units is Not Applicable. Field must be Not Known/Not Recorded when Age Units is Not Known/Not Recorded.	variables: Age and Age Units. If Date of Birth equals ED/Hospital Arrival Date, then the Age and Age Units variables must be completed. Must also complete variable: Age Units. Must be less than or equal to 120.	
40	Age Units	X	Х	Yes	AgeUnits	Xs:integer	No	R	Must be coded as: 1 – Hours 2 - Days	The units used to document the patient's age (Minutes, Hours, Days,	В
									3 – Months	Months, Years).	

Et	thnicity	X	X Yes	Ethnicity	Xs:integer	No	R	Known/Not Recorded when Age is Not Known/Not Recorded.	Known/Not Recorded", complete variables: Age and Age Units. If Date of Birth equals ED/Hospital Arrival Date, then the Age and Age Units variables must be completed. Must also complete variable: Age. The patient's	В
41								as: 1. Hispanic or Latino	ethnicity. Patient ethnicity should	

								S	2. Not Hispanic or Latino 9. Unknown	be based upon self-report or identified by a family member.	
	Patient Occupational	Х		Yes	PatientOcc	Xs:integer	No	С	Must be coded	The	В
	Industry				upationalIn				as:	occupational	
					dustry				1 Finance	industry associated with	
						A A			 Finance, Insurance, and 	the patient's	
									Real Estate 2.	work	
				4	4 /				Manufacturing	environment.	
				/					3. Retail Trade	Ifaul. malakad	
				A					4.	If work related, also complete	
									4. Transportati	Patient's	
			A						on and	Occupation.	
42									Public		
									Utilities 5.	Based upon US Bureau of Labor	
			67	1					Agriculture,	Statistics	
				7					Forestry,	Industry	
		0 A							Fishing	Classification.	
									6. Professional		
			<i>y</i>						and Business		
		A Y							Services		
									7. Education		
									and Health		
		*							Services		

									8. Construction 9. Government 10. Natural Resources and Mining 11. Information Services 12. Wholesale Trade 13. Leisure and Hospitality 14. Other Services 99. Unknown		
43	Patient Occupation	X	X	Yes	PatientOcc upation	Xs:integer	No	C	Must code as: 1. Business and Financial Operations Occupations 2. Architecture and Engineering Occupations 3. Community and Social Services Occupations 4. Education,	The occupation of the patient. Only completed if injury is work-related. If work related, also complete Patient's Occupational Industry. Based upon 1999 US Bureau	В

							Training, and Library Occupations 5. Healthcare Practitioners and Technical Occupations 6. Protective Service Occupations 7. Building and Grounds Cleaning and Maintenance 8. Sales and Related Occupations 9. Farming, Fishing, and Forestry Occupations 10. Installation, Maintenance, and Repair Occupations 11. Transportation and Material Moving Occupations 12. Management	of Labor Statistics Standard Occupational Classification (SOC).	
--	--	--	--	--	--	--	---	---	--

and Mathematical Occupations 14. Life, Physical, and Social Science Occupations 15. Legal Occupations 16. Arts, Design, Entertainment , Sports ,and Media	17. Healthcare Support Occupations 18. Food Preparation and Serving Related 19. Personal Care and Service Occupations 20. Office and Administrative Support Occupations 21.										Mathematical Occupations 14. Life, Physical, and Social Science Occupations 15. Legal Occupations 16. Arts, Design, Entertainment , Sports , and		
---	---	--	--	--	--	--	--	--	--	--	--	--	--

	T	1	1		T	 	Т			T	
									and Extraction		
									Occupations		
									22. Production		
								AL Y	Occupations		
									23. Military		
									Specific		
								y	Occupations		
						l A			99. Unknown		
	ICD10 Primary External	Х	Х	Yes	ICD10Prim	Xs:string	No	R	Must be	RelevantICD-10-	W
	Cause Code	^	^	163		A3.3tillig	NO	11	present.	CMcode value	VV
	Cause Code				aryExternal				present.	for injuryevent	
					CauseCode	A	4		Must be a	ioi injuryevene	
									valid ICD-10-	The	
									CM Ecode 3 to	primaryexternal	
									7	cause code	
				•					digits/characte	should describe	
				1					rs long.	the main	
									(exclude	reason a	
									decimal point)	patient is	
									V00-Y38, Y62-	admitted to the	
			A						Y84 with	hospital.	
									exclusion		
44									criteria listed	External cause	
									below.	codes are used	
			6/9	4						to auto-	
									Exclude	generate two	
									Y90.XXX -	calculated	
		• A							Y99.XXX, and	fields: Trauma	
									Z00.XXX –	Type (Blunt,	
									Z99.XXX as	Penetrating,	
										Burn) and	
									they are not	Intentionality	
									valid for	(based upon	
									Primary code.	CDC matrix).	
		<i>F</i>								ICD-10-CM	
										codes will be	
		l	j							codes will be	

									accepted for this data element. Activity codes should notbe reported in this field. Must be a valid ICD-10-CM Ecode 3 to 7 digits/character s long. (exclude decimal point) V00-Y38, Y62-Y84 with exclusion criteria listed below. Exclude Y90.XXX - Y99.XXX, and Z00.XXX - Z99.XXX as they are not valid for Primary code.	
45	Occurrence External Cause Code	X	Yes	ICD10Place ofOccurren ceExternal CauseCode	Xs:string	No	R	Must be a valid value (ICD-10 CM only).	Place of occurrence external cause code used to describe the	W
								Place of Injury code should be Y92.X/Y92.XX/	place/site/locat ion of the injury event (Y92.x).	

									Y92.XXX(wher e X is A-Z [excluding 1,0]or 0-9) (ICD-10 CM only). Invalid value (ICD-10 CA only). Place of Injury code should be U98X(where X is 0-9)(ICD-10 CA only).	RelevantICD-10-CMcode value for injury event. Only ICD-10-CM codes will be accepted for ICD-10 Place of Occurrence External Cause Code. Must be a valid ICD-10-CM code Y92.XXXX 3 to 7 digits/character s long (exclude decimal point).	
46	Incident Location Postal Code	X	X	Yes	IncidentLoc ationPostal Code	Xs:string	No	R	Must be a valid Zip/Postal code if Incident Country is US. If incident location postal code is unknown then enter	The ZIP/Postal code of the incident location. Can be stored as a 5 or 9 digit code (XXXXXXXXX) for US and CA, or can be stored in the	В

unknown then enter "Not "Not Known/Not Recorded, "complete variables: Incident Country, Incident State (US Only), Incident County (US Only) and Incident City (US Only). May require adherence to HIPAA regulations. If ZIP/Postal code is known, then must complete Incident Country.

	Incident Country	Х	,	Yes	IncidentCo	Xs:string	No	R	Must be a	The country	В
					untry				valid 2	where the	
									character FIPS	patient was	
								A	code.	found or to	
										which the unit	
									If Incident	responded (or	
									Country is	best	
									unknown or not applicable	approximation).	
							7		then enter 'NA'.	Relevant value	
						A				for data	
									Field cannot	element (two	
					10	1			be Not	digit alpha country code).	
				4	AK				Known/Not	country code).	
									Recorded	Values are two	
47				A					when Home	character FIPS	
									Zip is not:(1) blank, (2)Not	codes	
			A							representing	
									Applicable, or(3) Not	the country	
									Known/Not	(e.g.,US).	
									Recorded.		
			6/9	1					necoraea.	If Incident	
										Country is not	
										US, then the	
										null value "Not	
	A									Applicable" is	
			9							used for:	
										Incident State,	
										Incident	
										County, and	
										Incident City.	i

	Incident County	Х		Yes	IncidentCo	Xs:string	No	R	Must be a	The county or	В
	,				unty			40000	valid 3	parish where	
					,				character FIPS	the patient was	
								A	code.	found or to	
										which the unit	
									Field cannot	responded (or	
									be Not	best	
						4			Applicable.	approximation).	
							P		Field must be	Relevant value	
							7		Not Applicable	for data	
						4			(Non-US).	element (three	
										digit numeric	
					4					FIPS code)	
48				4							
				1						Only completed	
										when Incident	
										Location	
										ZIP/Postal code	
										is "Not	
										Applicable" or	
										"Not	
			6/9	4						Known/Not	
										Recorded", and	
										country is US.	
			7								
										Used to	
			<i>y</i>							calculate FIPS	
		A Y								code.	
	Report of Physical Abuse	Х	Х	Yes	ReportofPh	Xs:integer	No	R	Must be coded	A report of	W
49					ysicalAbuse				as:	suspected	
45		/							1. Yes	physical abuse	
									2. No	was made to	

	Investigation of Physical	X	Yes	Investigatio	Xs:integer	No	C	Must be coded	law enforcement and/or protective services. This includes, but is not limited to, a report of child, elder, spouse or intimate partner physical abuse. An investigation	W
50	Abuse			nofPhysical Abuse				as: 1. Yes 2. No Field should not be Not Applicable when Report of Physical Abuse = 1 (Yes).	by law enforcement and/or protective services was initiated because of the suspected physical abuse. This includes, but is not limited to, a report of child, elder, spouse or intimate partner physical abuse.	

										Only complete when Report of Physical Abuse is 1. Yes. The null value "Not Applicable" should be used for patients where Report of Physical Abuse is 2. No.	
	Caregiver at Discharge	Х		Yes	Caregiverat Discharge	xs:integer	No	С	Must be coded as:	The patient was discharged to a	W
					2.00080				1. Yes	caregiver	
									2. No	different than	
									2.110	the caregiver at	
			A							admission due	
										to suspected	
										physical abuse.	
				4						priysical abase.	
51										Only complete	
										when Report of	i l
										Physical Abuse	
	4									is 1. Yes.	
											i l
		A Y								Only complete	
										for minors as	
	·									determined by	
		F								state/local	
										definition,	

									excluding emancipated minors. The null value "Not Applicable" should be used for patients where Report of Physical Abuse is 2. No or where older than the state/local age definition of a minor. The null value "Not Applicable" should be used if the patient expires prior to	
									discharge.	
52	EMS Dispatch Date	X	Yes	EMSDispat chDate	Xs:date	no	R	Must be a valid date format (CCYYMMDD). If date is unknown/not applicable	The date the unit transporting to your hospital was notified by dispatch.	W

									Date. EMS Dispatch Date cannot be later than Hospital Discharge Date.	the patient to your facility from the scene was dispatched.	
53	EMS Dispatch Time	X	X	Yes	EMSDispat	Xs:time	No	R	Collected as HH:MM military time. Must range from 00:00 to 23:59. If time is unknown/not applicable then enter '99:99' EMS Dispatch Time cannot be later than EMS Unit Arrival on Scene Time. EMS Dispatch Time cannot	The time the unit transporting to your hospital was notified by dispatch. Used to autogenerate an additional calculated field: Total EMS Time (elapsed time from EMS dispatch to hospital arrival). For inter-facility transfer patients, this is the time at which the unit transporting	W

		Г	Т			Т			T .	
								be later than	the patient to	
								EMS Unit	your facility	
								Scene	from the	
							A)	Departure	transferring	
								Time.	facility was	
									notified by	
								EMS Dispatch	dispatch.	
					A.			Time cannot		
								be later than	For patients	
						P 7		ED/Hospital	transported	
								ArrivalTime.	from the scene	
					A				of injury to your	
								EMS Dispatch	hospital, this is	
				1 (/	h /			Time cannot	the time at	
			4	A				be later than	which the unit	
								ED Discharge	transporting	
				A				Time.	the patient to	
									your facility	
		4						EMS Dispatch	from the scene	
								Time cannot	was dispatched.	
								be later than		1
								Hospital		1
			A P					Discharge		
								Time.		
	EMS Unit Arrival Date at X	X	Yes	EMSUnitAr	Xs:date	No	R	Must be a	The date the	W
	Scene or Transferring			rivalDateat	7.0.000		••	valid date	unit	
	Facility			SceneorTra				format	transporting to	
	1 delitey			nsferringFa				(CCYYMMDD).	your hospital	
54				cility				(CCTTIVIIVIDD).	arrived on the	
34				Cinty				If date is	scene/transferri	
								unknown/not	ng facility.	
								applicable	ing racility.	
								then enter	Used to sute	
									Used to auto-	

			'99999999'. EMS Unit Arrival on Scene Date cannot be earlier than Date of Birth. EMS Unit Arrival on Scene Date cannot be earlier than EMS Dispatch Date. EMS Unit Arrival on Scene Date cannot be later than EMS Unit Scene Departure Date. EMS Unit Arrival on Scene Date cannot be later than EMS Unit Scene Departure Date.	generate two additional calculated fields: Total EMS Response Time (elapsed time from EMS dispatch to scene arrival) and Total EMS Scene Time (elapsed time from EMS scene arrival to scene departure). For inter-facility transfer patients, this is the date on which the unit transporting the patient to your facility from the transferring facility arrived at the transferring facility(arrival is	
				transferring	

								EMS Unit Arrival on Scene Date cannot be later than ED Discharge Date. EMS Unit Arrival on Scene Date cannot be later than Hospital Discharge Date. EMS Unit Arrival on Scene Date cannot be later than Hospital Discharge Date. EMS Unit Arrival on Scene Date minus EMS Dispatch Date cannot be greater than 7 days.	stopped moving). For patients transported from the scene ofinjuryto your hospital, this is the date on which the unit transporting the patient to your facility from the scene arrived at the scene (arrival is defined at date/time when the vehicle stopped moving).	
	EMS Unit Arrival Time at	X	Yes	EMSUnitAr	Xs:time	No	R	Collected as	The time the	W
	Scene or Transferring Facility			rivalTimeat SceneorTra				HH:MM military time.	unit transporting to	
55	racility			nsferringFa				minitary time.	your hospital	
				cility				Must range	arrived on the	
				-7				from 00:00 to	scene.	
								23:59.		

									Arrival on	the vehicle	
									Scene Time	stopped	
									cannot be	moving).	
								A T	later than ED		
									Discharge	For patients	
									Time.	transported	
								7		from the scene	
									EMS Unit	of injury to your	
									Arrival on	hospital, this is	
									Scene Time	the time at	
							7		cannot be	which the unit	
						A T			later than	transporting	
									Hospital	the patient to	
					4 (/	1			Discharge	your facility	
				4					Time.	from the scene	
				1						arrived at the	
										scene (arrival is	
										defined at	
										date/time when	
										the vehicle	
										stopped	
										moving).	
	EMS Unit Departure	Х	X	Yes	EMSUnitDe	Xs:date	No	R	Must be a	The date the	W
	Date from Scene or				partureDat				valid date	unit	
	Transferring Facility				efromScen				format	transporting to	
					eorTransfe				(CCYYMMDD).	your hospital	
					rringFacilit					left the scene.	
56			-		У				If date is		
									unknown/not applicable	Used to auto-	
									then enter	generate an	
									'99999999'.	additional	
										calculated field:	
										Total EMS	

								Scene Departure Date cannot be later than ED Discharge Date. EMS Unit Scene Departure Date cannot be later than Hospital Discharge Date. EMS Unit Scene Departure Date minus EMS Unit Arrival on Scene Date cannot be greater than 7 days.	which the unit transporting the patient to your facility from the scene departed from the scene (departure is defined at date/time when the vehicle started moving).	
	EMS Unit Departure X	х	Yes	EMSUnitDe	Xs:time	No	R	Collected as	The time the	W
	Time from Scene or	*		partureTim				HH:MM	unit	
57	Transferring Facility			efromScen eorTransfe				military time.	transporting to your hospital lef	
3/				rringFacilit				Must range	the scene.	
	7			у				from 00:00 to		
								23:59.	Used to auto-	

	T	T	T	Т			Г				
									Scene	from the scene	
									Departure	of injury to your	
									Time cannot	hospital, this is	
								A 7	be later than	the time at	
									the ED	which the unit	
									Discharge	transporting	
									Time.	the patient to	
						4				your facility	
									EMS Unit	from the scene	
									Scene	departed from	
									Departure	the scene	
						4			Time cannot	(departure is	
									be later than	defined at	
									Hospital	date/time when	
				•					Discharge	the vehicle	
				1					Time.	started	
										moving).	
	Initial Field systolic blood	Х		Yes	InitialFields	Xs:integer	No		Must be a 3	First recorded	W
	pressure		A		ystolicbloo				digit entry	systolic blood	
					dpressure				between 0 and	pressure	
									299.	measured at	
										the scene of	
			6/9	H /					If Initial Field	injury.	
									Systolic Blood		
									Pressure is Not	The null value	
58									Known/Not	"Not	
									Recorded then enter 'UNK'.	Known/Not	
			JP.						enter onk.	Recorded" is	
		A							If Initial Field	used if the	
									Systolic Blood	patient is	
	`								Pressure is Not	transferred to	
		7							Applicable	your facility	
										/ · · · · · /	1
									then enter	with no EMS	

1			<u> </u>		<u> </u>		
						'NA'.	Run Report
							from the scene
							of injury.
							Measurement
							recorded must
							be without the
				1			assistance of
							CPR or any type
							of mechanical
							chest
							compression
							device. For
							those patients
		4					who are
		1					receiving CPR
							or any type of
							mechanical
							chest
							compressions,
							report the value
							obtained while
		4					compressions
							are paused.
							The null value
							"Not
							Applicable" is
	AF						usedf or
							patients who
							arrive by
							4.Private/Public
							Vehicle/Walk-
							verner, vvalk-

										in.	
	Initial Field Pulse Rate	Х		Yes	InitialFieldP	Xs:integer	No	R	Must be a 3	First recorded	W
					ulseRate			A T	digit entry	pulse measured	
									between 0 and	at the scene of	
									299.	injury (palpated	
										or auscultated),	
									If Initial Field	expressed as a	
									Pulse Rate is	number per	
									Not	minute.	
									Known/Not Recorded then		
						A			enter 'UNK'.	The null value	
									enter onk.	"Not	
					1				If Initial Field	Known/Not	
				4	AK				Pulse Rate is	Recorded" is	
									Not Applicable	used if the	
									then enter	patient is	
59									'NA'.	transferred to	
										your facility	
			A							with no EMS	
										Run Report	
										from the scene	
			6/							of injury.	
										Measurement	
		• A								recorded must	
										be without the	
										assistance of	
										CPR or any type	
										of mechanical	
										chest	
										compression	
										device. For	

								*	those patients who are receiving CPR or any type of mechanical chest compressions, report the value obtained while compressions are paused.	
									The null value "Not Applicable" is used for patients who arrive by 4. Private/Public Vehicle/Walk- in.	
60	Initial Field Respiratory Rate	X	Yes	InitialField Respiratory Rate	Xs:integer	No	R	Must be a 3 digit numeric entry. If Initial Field Respiratory Rate is Not Known/Not Recorded then enter 'UNK'. If Initial Field Respiratory	First recorded respiratory rate measured at the scene of injury (expressed as a number per minute). The null value "Not Known/Not	W

	Initial Field Oxygen X	Yes	InitialField	Xs:integer	No	R	Rate is Not Applicable then enter 'NA'. RR cannot be> 99 for age in years >= 6 OR RR cannot be > 120 for age in years< 6. If age and age units are not valued, RR cannot be> 120. RR cannot be>99 and <=120for age in years < 6. If age and Age units are not valued, RR cannot be> 99. Must be a 3	Recorded" is used if the patient is transferred to your facility with no EMS Run Report from the scene of injury. The null value "Not Applicable" is used for patients who arrive by 4. Private/Public Vehicle/Walkin.	W
61	Saturation	ics	OxygenSat uration	As.integer	No		digit entry and numeric. Must be a value between 0 and 100.	oxygen saturation measured at the scene of injury (expressed as a percentage).	·

							If Initial Field Oxygen Saturation is Not Known/Not Recorded then enter 'UNK'. If Initial Field Oxygen Saturation is Not Applicable then enter 'NA'.	The null value "Not Known/Not Recorded" is used if the patient is transferred to your facility with no EMS Run Report from the scene of injury. Value should be based upon assessment before administration of supplemental oxygen. The null value "Not Applicable" is used for patients who arrive by 4. Private/Public Vehicle/Walk- in.	
--	--	--	--	--	--	--	---	--	--

62	Initial Field GCS EYE	X	Ye	es	InitialField GCSEYE	Xs:integer	No	R	Must be present and coded as: 1. No eye movement when assessed 2. Opens eyes in response to painful stimulation 3. Opens eyes in response to verbal stimulation 4. Opens eyes	First recorded Glasgow Coma Score (Eye) measured at the scene of injury. Used to calculate Overall GCS - EMS Score. The null value "Not Known/Not Recorded" is used if the patient is transferred to	V
62									3. Opens eyes in response to verbal stimulation	"Not Known/Not Recorded" is used if the patient is	

			closely (or directly) relates to verbiage describing a specific level of functioning within the GCS scale, the appropriate numeric score may be listed. E.g. the chart indicates: "patient withdraws from a painful stimulus," a Motor GCS of 4 may be recorded, IF there is no other contradicting documentation.
			other contradicting
			The null value "Not Applicable" is
			used for patients who arrive by 4. Private/Public
			Vehicle/Walk-

										in.	
	Initial Field GCS Verbal	Х		Yes	InitialField	Xs:integer	No	R	Must be	First recorded	W
					GCSVerbal			A T	present and	Glasgow Coma	
									coded as:	Score (Verbal)	
										measured at	
								7	Pediatric (<= 2	the scene of	
									Years)	injury.	
									1.No Vocal	Used to	
							7		Response	calculate	
						A A			2.	Overall GCS -	
									Inconsolable,	EMS Score.	
						h /			agitated		
				4					3.	The null value	
				1					Inconsistently	"Not	
									consolable,	Known/Not	
63									moaning	Recorded" is	
									4. Cries but is	used if the	
									consolable,	patient is	
									inappropriate	transferred to	
									interactions	your facility	
			4 7	a P					5. Smiles,	with no EMS	
									oriented to	Run Report	
									sounds, follow	from the scene	
		0 A							objects,	of injury.	
									interacts		
			<i>P</i>							Ifpatient is	
		A							Adult	intubated then	
										the GCS Verbal	
									1. No verbal	scoreis equal to	
									response	1.	
									2.		

				Incomprehensi ble sounds 3. Inappropriate words 4. Confused 5. Oriented	If a patient does not have a numeric GCS score recorded, but written documentation closely (or directly) relates to verbiage describing a specific level of functioning within the GCS scale, the appropriate numeric score may be listed. E.g. the chart	
					a painful stimulus," a Motor GCS of 4 maybe recorded, IF there is no other contradicting documentation. The null value "Not	

	Initial Field CCS Motor			Vac	In:tialField	Verintager	No		Must be	Applicable" is used for patients who arrive by 4.Private/Public Vehicle/Walkin.	W
	Initial Field GCS Motor	Х		Yes	InitialField GCSMotor	Xs:integer	No	R			VV
					GCSIVIOTOR				present and coded as:	Glasgow Coma	
									coded as:	Score (Motor) measured at	
						A A			Pediatric (<= 2	thescene of	
									Years)	injury.	
					1 (/) P			,	3 ,	
				d	4				1. No motor	Used to	
				1	A				response	calculate	
									2. Extension to	Overall GCS -	
									pain	EMS Score.	
									3. Flexion to		
64									pain	The null value	
									4. Withdrawal	"Not	
				,					from pain	Known/Not	
			9/7						5. Localizing	Recorded" is	
									pain	used if the	
		0 AL							6. Appropriate	patient is transferred to	
									response to stimulation	your facility	
									Stillulation	with no EMS	
		A Y							Adult	Run Report	
										from the scene	
	`								1. No motor	of injury.	
		1							response		
									2. Extension to	If a patient does	

				pain 3. Flexion to pain 4. Withdrawal from pain 5. Localizing pain 6. Obeys commands	not have a numeric GCS score recorded, but written documentation closely (or directly) relates to verbiage describing a specific level of functioning within the GCS scale, the appropriate numeric score may be listed. E.g. the chart indicates: "patient withdraws from a painful stimulus," a Motor GCS of 4 maybe recorded, IF there is no	
					stimulus," a Motor GCS of 4 maybe	
					The null value "Not Applicable" is	

									*	used for patients who arrive by 4.Private/Public Vehicle/Walk- in.	
	Initial Field GCS Total	Х		Yes	InitialField	Xs:integer	No	R	The GCS Total	First recorded	W
					GCSTotal	4			is outside the	Glasgow Coma	
									valid range of	Score (total)	
									3 – 15.	measured at the scene of	
						A			Initial Field		
									GCS - Total	injury.	
					1 ()	A Dr			does not equal	The null value	
				4	A K				the sum of	"Not	
				A					Initial Field	Known/Not	
									GCS- Eye,	Recorded" is	
									Initial Field	used if the	
			A						GCS- Verbal,	patient is	
65									and Initial	transferred to	
									Field GCS –	your facility	
									Motor.	with no EMS	
			6/7							Run Report	
										from the scene	
										of injury.	
										If a pationt data	
										If a patient does not have a	
										numeric	
										GCSrecorded,	
										but there is	
										documentation	
										related to their	

										level of consciousness	
										such as	
									<i>y</i>	"AAOx3,"	
										"awake alert	
							4			and oriented, "or "patient	
								The state of the s		with normal	
						/				mental status,	
										"interpret this	
							7			as GCS of 15 IF	
						A				there is no	
										other	
					1 ()	1				contradicting	
				4						documentation.	
				1							
										The null value	
										"Not	
										Applicable" is	
				h.						used for	
										patients who	
										arrive by 4.	
			6/7							Private/Public	
										Vehicle/Walk-	
										in.	
	Trauma Center Criteria	X		Yes	Traumacen tercriteria	Xs:String	No	R	Must be coded	Physiologic and	W
					tercriteria				as:	anatomic EMS	
									1 Classon	trauma triage	
66									1. Glasgow	criteria for	
									Coma Score <= 13	transport to a trauma center	
									13	as defined by	
		#							2. Systolic	the Centers for	
									Z. Jystolic	the Centers 101	

								blood pressure< 90 mmHg 3. Respiratory rate < 10 or > 29 breaths per minute (<20 in infants aged < 1 year) or need for ventilatory support 4. All penetrating injuries to head, neck, torso, and Extremities proximal to elbow or knee 5. Chest wall instability or deformity(e.g., flail chest) 6. Two or more proximal long-bone fractures	Disease Control and Prevention and the American College of Surgeons-Committee on Trauma. This information must be found on the scene of injury EMS Run Report. The null value "Not Applicable" should be used to indicate that the patient did not arrive by EMS. The null value "Not Applicable" should be used if EMSRun Report indicates patient did not meet any Trauma Center	
--	--	--	--	--	--	--	--	--	--	--

									7. Crushed, degloved, mangled, or	Criteria. The null value	
								AN	pulseless	"Not	
									extremity	Known/Not	
									•	Recorded"	
)	8. Amputation	should be used	
						4			proximal to	if this	
									wrist or ankle	information is	
							7			not indicated,	
									9. Pelvic	as an identical	
									fracture	response	
										choice, on the	
									10. Open or	EMS Run	
									depressed	Report or if the	
				4					skull fracture	EMS Run	
										Report is not	
									11. Paralysis	available.	
			A								
	Vehicular Pedestrian	Х		Yes	Vehicularp	Xs:integer	No	R	Must be coded	EMS trauma	W
	Other Risk Injury				edestrianot				as:	triage	
					herriskinjur				4 = 11 1 1 1 1 1 1 1 1	mechanism of	
					У				1. Fall adults:>	injury criteria	
									20 ft.(one	for transport to	
		0 A							story is equal to 10 ft.)	a trauma center	
67									to 10 it.)	as defined by the Centers for	
									2. Fall	Disease Control	
									children: > 10	and Prevention	
									ft.or 2-3 times	and the	
									the height of	American	
									the child	College of	
									are erma		
										Surgeons-	İ

				3. Crash intrusion, including roof: > 12 in. occupant site; > 18 in. any site 4. Crash ejection (partial or complete) from automobile 5. Crash death in same passenger compartment 6. Crash vehicle telemetry data (AACN) consistent with high risk injury 7. Auto v. pedestrian/bic yclist thrown, run over, or > 20 MPH	Committee on Trauma. This information must be found on the scene of injury EMS Run Report. The null value "Not Applicable" should be used to indicate that the patient did not arrive by EMS. The null value "Not Applicable" should be used if EMSRun Report indicates patient did not meet any Vehicular,Pedes trian, Other Risk Injury criteria. The null value "Not	
--	--	--	--	---	--	--

								impact 8. Motorcycle crash> 20 mph 9. For adults > 65; SBP < 110 10. Patients on anticoagulants and bleeding disorders 11. Pregnancy> 20 weeks 12. EMS provider judgment	Known/Not Recorded" should be used if this information is not indicated, as an identical response choice, on the EMS Run Report or if the EMS Run Report is not available.	
68	Pre Hospital Cardiac X Arrest	x	Yes	Prehospital cardiacarre st	Xs:integer	No	R		Indication of whether patient	W
58								2. NO	experienced cardiac arrest prior to ED/Hospital	

					arrival.	
					A patient who experienced a sudden cessation of cardiac activity. The patient was unresponsive with no normal breathing and no signs of circulation.	
					The event must have occurred outside of the reporting hospital, prior to admission at	
					the center in which the registry is maintained. Pre-hospital cardiac arrest	
					could occur at a transferring institution. Any component of basic and/or advanced	

В

								Celsius.	
Initial ED Hospital Respiratory Assistance	X	Yes	InitialEDHo spitalRespir atoryAssist ance	Xs:integer	No	R	Must be coded as: 1. Unassisted Respiratory Rate 2. Assisted Respiratory Rate	Determination ofrespiratory assistanceassoci atedwith the initial ED/hospital respiratory rate within 30 minutes or lessof ED/hospital arrival. Only completed if a value is provided for Initial ED/Hospital Respiratory Rate. Respiratory Rate. Respiratory Assistance is defined as mechanical and/or external support of respiration. Please note that first	В

									not need to be from the same	
									assessment.	
	Initial ED Hospital	Х	Yes	InitialEDHo	Xs:integer	No	R	Must be a	First recorded	В
	Oxygen Saturation			spitalOxyge				valid 3 digit	oxygen	
				nSaturatio				entry between	saturation in	
				n				0 and 100.	the ED/hospital	
									within 30	
									minutes or less	
									of ED/hospital	
					A				arrival	
									(expressed as a	
				10					percentage).	
			4	A K					If available,	
									complete	
									additional field:	
71									Initial	
/ 1									ED/Hospital	
									Supplemental	
									Oxygen.	
									Please note	
									that first	i l
									recorded/hospi	i l
									tal vitals do not	
	A		, i						need to be	
									from the same	
		T T							assessment.	
									Must be a valid	
		#							3 digit entry	
									between 0 and	ı l

									100.	
72	Initial ED Hospital Supplemental Oxygen	X	Yes	InitialEDHo spitalSuppl ementalOx ygen	Xs:integer	No	R	Must be coded as: 1. No Supplemental Oxygen 2. Supplemental Oxygen 9. NA	Determination of the presence of supplemental oxygen during assessment of initial ED/hospital oxygen saturation level within 30minutesor less of ED/hospital arrival. Only completed if a value is provided for Initial ED/Hospital Oxygen Saturation, otherwise report as "Not Applicable". Please note that first recorded/hospital vitals do not	В

										need to be	
1										from the same	
										assessment.	
								A			
										Must be valid 2	
										digit entry as	
)		specified in	
										Field Values.	
	Initial ED Hospital Height	Х		Yes	InitialEDHo	Xs:integer	No	R	Must be a 3	First recorded	В
					spitalHeigh				digit entry in	height upon	
					t		7		centimeters,	ED/hospital	
						A A			no greater	arrival.	
									than 244	diffival.	
									centimeters.	Recorded in	
				4	AK				centimeters.	centimeters.	
				1						centimeters.	
										May be based	
										on family or	
										self-report.	
			A							sen-report.	
73										Please note	
/3										that first	
				J P						recorded/hospi	
			_ 4 / 7							tal vitals do not	
										need to be	
		• A								from the same	
										assessment.	
		A P								Must be a valid	
										3 digit entry in	
										centimeters.	
										No	
							1			No values	

										greater than 244 centimeters.	
74	Initial ED Hospital Weight	X		Yes	InitialEDHo spitalweigh t	Xs:integer	No	R	Must be a 3 digit entry in kilograms, no greater than 907 kilograms.	Measured or estimated baseline weight. Recorded in kilograms. May be based on family or self-report. Please note that first recorded/hospi tal vitals do not need to be from the same assessment. Must be a valid 3 digit entry in kilograms. No values greater than	В
	ED Discharge Disposition	X	X	Yes	EDDischarg	Xs:integer	No	R	Must be coded	907 kilograms. The disposition	W
75	23 Sisting Sisposition		^		eDispositio n	736601	140	.,	as:	of the patient at the time of	••

							1. Floor bed (general admission, non-specialty unit bed) 2. Observation unit (unit that provides < 24 hour stays) 3. Telemetry/ste p-down unit (less acuity than ICU) 4. Home with services 5. Deceased/expi red 6. Other (jail, institutional care, mental health, etc.) 7. Operating Room 8. Intensive	discharge from the ED. The null value "Not Applicable" is used if the patient is directly admitted to the hospital. If ED Discharge Disposition is 4, 5, 6,9, 10, 11, then Hospital Discharge Date, Time, and Disposition should be "Not Applicable".		
--	--	--	--	--	--	--	---	---	--	--

							Care Unit (ICU)	
							care offit (ICO)	
							9. Home	
						A 7	without	
							services	
					4		40 1 6	
							10. Left against	
							medical advice	
					A P			
							11.	
							Transferred to	
							another	
			4	AK			hospital	
			A				88. Unknown	
							99. Not Applicable	
		A					пррпецые	
							Field cannot	
							be Not	
		67	4				Known/Not Recorded.	
							necoraea.	
							Field cannot	
							not be Not	
							Applicable	
	A T						when Hospital	
							Discharge Date is Not	
							Applicable.	

								Field cannot not be Not Applicable when Hospital Discharge Date is Not Known/Not Recorded. Field cannot not be Not Applicable when Hospital Discharge Disposition is Not Applicable. Field cannot not be Not Applicable when Hospital Discharge Disposition is Not Applicable when Hospital Discharge Discharge Discharge Disposition is Not Known/Not		
	Signs of life	х	Yes	Signsoflife	Xs:integer	No	R	Recorded. Must be coded	Indication of	В
76								as: 1. Arrived with NO signs of life	whether patient arrived at ED/Hospital with signs of life.	

									2. Arrived with signs of life Field should not be Not Known/Not Recorded Field cannot be Not Applicable Field is 1 (Arrived with NO signs of life) when Initial ED/Hospital SBP> 0, Pulse > 0, OR GCS Motor > 1. Please verify. Field is 2 (Arrived with signs of life) when Initial ED/Hospital SBP = 0, Pulse = 0, ANDGCS Motor = 1.	A patient with no signs of life is defined as having none of the following: organized EKG activity, pupillary responses, spontaneous respiratory attempts or movement, and unassisted blood pressure. This usually implies the patient was brought to the ED with CPR in progress.	
--	--	--	--	--	--	--	--	--	--	--	--

77	Total ICU Length of Stay	X	Yes	TotaliCULe ngthofStay	Xs:integer	No	R	Must be a valid 3 digit entry not less than 1 or more than 575. Total ICU Length of Stay is greater than the difference between ED/Hospital Arrival Date and Hospital Discharge Date If Total ICU Length of Stay is Not Applicable then enter 'NA'.	The cumulative amount of time spent in the ICU. Each partial or full day should be measured as one calendar day. Recorded in full day increments with any partial calendar day counted as a full calendar day. The calculation assumes that the date and time of starting and stopping an ICU episode are recorded in the patient's chart. If any dates are missing then a LOS cannot be	В

									If patient has	
									multiple ICU	
							A 7		episodes on the	
									same calendar	
						4			day, count that	
									day as one	
					A				calendar day.	
									At no time	
									should the ICU	
									LOS exceed the	
									Hospital LOS.	
				4 (/						
			4						The null value	
			1						"Not	
									Applicable" is	
									used if the	
									patient had no	
									ICU days	
									according to	
									the above	
		6/94							definition.	
									Must be a valid	
									3 digit entry not	
									less than 1 or	
									more than 575.	
	Total Ventilator Days X	Y	Yes	TotalVentil	Xs:integer	No	R	Must be a	The cumulative	В
				atorDays				valid 3 digit	amount of time	
78				•				entry not less	spent on the	
	/							than 1 or more	ventilator. Each	
								than 575.	partial or full	

			Total Ventilator Days should not be greater than the difference between ED/Hospital Arrival Date and Hospital Discharge Date. If Total Ventilator Days is Not Applicable then enter 'NA'.	day should be measured as one calendar day. Excludes mechanical ventilation time associated with OR procedures. Non-invasive means of ventilatory support (CPAP or BIPAP) should not be considered in the calculation of ventilator days. Recorded in full day increments with any partial calendar day counted as a full calendar day. The calculation	
				The calculation assumes that the date and	

			time of starting and stopping Ventilator episode are recorded in the patient's chart. If any dates are missing then a Total Vent Days cannot be calculated. At no time should the
			missing then a
			Total Vent Days
			calculated.
	4 (/		At no time
4			should the
			Total Vent Days
			exceed the
			Hospital LOS.
			The null value
			"Not
			Applicable" is
6/90/			used if the
			patient was not
			on the
			ventilator
			according to
			the above
			definition.
			Must be a valid
			3 digit entry not
			less than 1 or

										more than 575.	
79	Hospital Discharge Date	X	X	Yes	HospitalDis chargeDate	Xs:date	No	R	Must be a valid date format (CCYYMMDD). If date is unknown/not applicable then enter '99999999'. Hospital Discharge Date cannot be earlier than EMS Dispatch Date. Hospital Discharge Date cannot be earlier than EMS Unit Arrival on Scene Date. Hospital Discharge Date cannot be earlier than	more than 575. The date the order was written for the patient to be discharged from the hospital. Used to autogenerate an additional calculated field: Total Length of Hospital Stay(elapsed time from ED/hospital arrival to hospital discharge). The null value "Not Applicable" is used If ED Discharge Disposition = 5 Deceased/Expir ed.	В

								Departure Date. Hospital Discharge Date cannot be earlier than ED/Hospital Arrival Date Hospital Discharge Date cannot be earlier than ED Discharge Date. Hospital Discharge Date cannot be earlier than ED Discharge Date cannot be earlier than Date of Birth Field must be Not Applicable when ED Discharge	"Not Applicable" is used If ED Discharge Disposition = 4,6,9,10, or 11. If Hospital Discharge Disposition is 5 Deceased/Expir ed, then Hospital Discharge Date is the date of death as indicated on the patient's death certificate.	
--	--	--	--	--	--	--	--	--	---	--

							P	Discharge Disposition= 5 (Died).		
80	Hospital Discharge Time	X	Yes	HospitalDis chargeTim e	Xs:time	No	C	Collected as HH:MM military time from 00:00 to 23:59. If time is unknown/not applicable then enter '99:99'. Hospital Discharge Time cannot be earlier than EMS Dispatch Time. Hospital Discharge Time cannot be earlier than EMS Unit Arrival on Scene Time.	The time the order was written for the patient to be discharged from the hospital. Used to autogenerate an additional calculated field: Total Length of Hospital Stay(elapsed time from ED/hospital arrival to hospital discharge). The null value "Not Applicable" is used If ED Discharge Disposition = 5	В

								Hospital Discharge Time cannot be earlier than EMS Unit Scene Departure Time. Hospital Discharge Time cannot be earlier than ED/Hospital Arrival Time. Hospital Discharge Time cannot be earlier than ED/Hospital Arrival Time. Field must be Not Applicable when ED Discharge Disposition= 4,6,9,10, or 11. Field must be Not Applicable	(Deceased/expired). The null value "Not Applicable" is usedIf ED Discharge Disposition = 4,6,9,10, or 11. IfHospital Discharge Disposition is 5 Deceased/Expired, then Hospital Discharge Time is the time of death as indicated on the patient's death certificate.	
--	--	--	--	--	--	--	--	---	--	--

	1	1		I	I	I					
									when ED		
									Discharge		
									Disposition= 5		
									(Died).		
	Hospital Discharge	Х	Х	Yes	HospitalDis	Xs:integer	No	R	Must be coded	The disposition	В
	Disposition				chargeDisp		4		as:	of the patient	
					osition					when	
									1.	discharged	
									Discharged/Tr	from the	
									ansferred to a	hospital.	
									short-term		
									generalhospita	Field value =	
									I for inpatient	6,"home" refers	
									care	to the patient's	
				•						current place of	
				1					2.	residence (e.g.,	
									Discharged/Tr	prison, Child	
									ansferred to	Protective	
81			A						an	Services etc.)	
									Intermediate		
									Care Facility	Field values	
									(ICF)	based upon UB-	
			6/9							04 disposition	
									3.	coding.	
									Discharge/Tra		
									nsferred to	Disposition to	
	A								home under	any other non-	
									care of	medical facility	
		A T							organized	should be	
									home health	coded as 6.	
									service		
										Disposition to	
									4. Left against	any other	

								medical advice or discontinued care 5. Deceased/expi red 6. Discharged to home or self-care (routine discharge) 7. Discharged/Tr ansferred to Skilled Nursing Facility (SNF) 8. Discharged/Transferred to hospice care 10. Discharged/Tr ansferred to court/law enforcement. 11. Discharged/Tr	medical facility should be coded as 14. The null value "Not Applicable" is usedIf ED Discharge Disposition = 5 (Deceased/expired). The null value "Not Applicable" is usedIf ED Discharge Disposition = 4,6,9,10, or 11.	
--	--	--	--	--	--	--	--	--	--	--


				ansferred to inpatient rehab or designated unit 12. Discharged/Tr ansferred to Long Term	
		18		Care Hospital (LTCH) 13. Discharged/Tr ansferred to a psychiatric hospital or psychiatric distinct part unit of a hospital 14. Discharged/Tr ansferred to another type of institution	
				not defined elsewhere 99. Not Applicable	

									Field must be Not Applicable when ED Discharge Disposition= 5 (Died). Field must be Not Applicable when ED Discharge Disposition= 4,6,9,10, or 11. Field cannotb e Not Known/Not Recorded when Hospital Arrival Date and Hospital Discharge Date are not:(1)blank, (2) Not Applicable, or (3) Not Known/Not		
	Primary Method of	Х	X	Yes	PrimaryMe	Xs:integer	No	R	Recorded. Must be coded	Primary source	В
82	Payment	7			thodofPay ment	_			as:	of payment for hospital care.	

	T	T	T			T	T	-	4 4 4 1 1 1	 	
									1. Medicaid	_	
										No Fault	
									2. Not Billed	Automobile,	
								A 7	(for any	Workers	
									reason)	Compensation,	
										and Blue	
									3. Self-Pay	Cross/BlueShiel	
						1				d should be	
									4.	captured as	
							7		Private/Comm	Private/Comme	
)		ercial	rcial Insurance.	
						A T			Insurance		
						T					
					1 (/				6. Medicare		
					A K						
									7. Other		
			4						Government		
			Ĭ						Government		
									10. Other		
			A								
									99. Not		
									Applicable /		
									Unknown		
			1 M								
	Race1	X	X Ye	es	Race1	Xs:integer	No	R			В
			<i>y</i>						as:	race.	
									1. Asian		
83											
									2. Native	based upon	
									Hawaiian or	self-report or	
		F							Other Pacific	identified by a	
									Islander	family member.	
83	Race1	X	X Ye	es	Race1	Xs:integer	No	R	Hawaiian or Other Pacific	self-report or identified by a	В

									3. Other Race4. American Indian5. Black or African American6. White9. Unknown		
84	Race2	X	X	Yes	Race2	Xs:integer	No	R	Must be coded as: 1. Asian 2. Native Hawaiian or Other Pacific Islander 3. Other Race 4. American Indian 5. Black or African American 6. White	The patient's race. Patient race should be based upon self-report or identified by a family member.	В

									9. Unknown		
	OtherTransportMode	Х		Yes	OtherTrans	Xs:integer	Yes Max	С	When present	All other modes	В
					portMode		5	A 7	must be coded	of transport	
									as:	used during	
										patient care	
									1. Ground	event (prior to	
						1			Ambulance	arrival at your	
										hospital),except	
							7		2. Helicopter	the mode	
									Ambulance	delivering the	
						A				patient to the	
85									3. Fixed-wing	hospital.	
85									Ambulance		
				4						Include in	
									4.	"Other"	
									Private/Public	unspecified	
									Vehicle/Walk-	modes of	
			<u></u>						in	transport.	
									5. Police		
			6/9	4					6. Other		
			J								
	Injury Diagnosis	X	X	Yes	InjuryDiagn	Xs:string	Yes max	R	Must be a	Diagnoses	Α
					oses		50.		valid value	related to all	
	<i>A</i>								(ICD-10 CM	identified	
									only).	injuries.	
86		A 7								Injury	
										diagnoses as	
	`									defined by ICD-	
		JF								10-CM code	
										range S00-S99,	



									data fields after the first diagnostic data field. If the other medical conditions are coded in the in the first diagnostic data field, the record will cause a submission error. Used to auto- generate additional calculated fields: Abbreviated Injury Scale (six body regions) and Injury Severity Score. Must be valid up to 7 digit ICD-10-CM code (exclude decimal point).	
87	AIS	X	No	AIS	Xs:String	Yes	R	Must be present. Must be a valid AIS code.	The Abbreviated Injury Scale (AIS) Pre Dot codes that	W

			Must consist of 6 numbers followed by a decimal point followed by 1 number. The number following the decimal point must be coded as: 1. Minor Injury 2. Moderate Injury 3. Serious Injury 4. Severe Injury 5. Critical Injury 6. Maximum Injury, Virtually Un survivable	reflect the patient's injuries. The pre dot code is the 6 digits preceding the decimal point in an associated AIS code. The severity code is the value after the decimal. The Abbreviated Injury Scale (AIS) severity codes that reflect the patient's injuries. The field value (9)"Not Possible to Assign" would be chosen if it is not possible to	
			Virtually Un	chosen if it is	

									to Assign If predot and/or severity are not able to be coded then enter '999999.9'		
88	AIS Version	Х		No	AlsVersion	Xs:integer	Yes	R	Must be present. Must be 08. To represent AIS05.	The software (and version) used to calculate Abbreviated Injury Scale (AIS) severity codes.	W
89	ICD-9-CM Diagnosis Code	X	X	Yes	ICD9CMDia gnosisCode	Xs:String	Yes	R	Must be present. Must be valid ICD-9-CM code. (exclude decimal point).	Patient Diagnosis Code	A
90	Protective Devices	X		Yes	Protective Devices	Xs:integer	Yes unlimite d.	R	Must be present. Must be numeric. Must be coded	Protective devices (safety equipment) in use or worn by the patient at the time of the injury.	W

					as:	If" Child Restraint" is
					2. Lap Belt	present, complete variable "Child
					3. Personal Floatation	Specific Restraint."
			Ĝ		Device	If" Airbag" is
					4. Protective Non-Clothing	present, complete
		10			Gear (e.g., shin guard)	variable" Airbag Deployment."
					5. Eye	Evidence of the
					Protection	use of safety
	A				6. Child Restraint (booster seat	be reported or observed.
					or child car seat)	Lap Belt should be used to
					7. Helmet (e.g., bicycle, skiing,	include those patients that are
					motorcycle)	restrained,but not further
					8. Airbag Present	specified. Ifchart indicates
					9. Protective Clothing (e.g.,	"3-point- restraint",choos

				padded leather pants) 10.Shoulder Belt 11. Other Protective Device should be 6 (Child	e 2. Lap Beltand 10. Shoulder Belt.	
				Restraint) when Child Specific Restraint is not: (1) blank, (2)Not Applicable, or (3) Not Known/Not Recorded. Protective		
				Device should be 8 (Airbag Present) when Airbag Deployment is not:(1) blank, (2)Not Applicable, or (3) Not Known/Not		

								Recorded.		
91	Child Specific restraint	X	Yes	ChildSpecificRestraint	Xs:integer	Yes	C	Must be present if Protective Devices = 6 (Child Restraint). Must be coded as: 1. Child Car Seat 2. Infant Car Seat 3. Child Booster Seat	Protective child restraint device used by patient at the time of injury. Evidence of the use of child restraint maybe reported or observed. Only completed when Protective Devices include "Child Restraint." Or if Protective Devices = 6 (Child Restraint) in one field.	A
92	Airbag Deployment	X	Yes	AirbagDepl oyment	Xs:integer	Yes	С	Must be present if Protective Devices = 8 (Airbag). Must be coded as:	Evidence of the use of airbag deployment maybe reported or observed. Only completed when	А

								1. Airbag Not Deployed 2. Airbag Deployed Front 3. Airbag Deployed Side 4. Airbag	Protective Devices include "Airbag." Or if Protective Devices = 8 (Airbag) in one field. Airbag Deployed Front should be used for patients with	
			4	18				Deployed Other (knee, air belt, curtain, etc.)	documented airbag deployments, but are not further specified.	
93	Co-Morbid Condition	X	Yes	ComorbidC onditions	Xs:integer	Yes Max 5	R	Must be present. Must be coded as: 0 Not Applicable	Pre-existing comorbid factors present before patient arrival at the ED/hospital. The value of 0 "Not	W
								 Other Alcohol Use Disorder Bleeding 	Applicable" is used for patients with no known comorbid	

							disorder	conditions.	
							5. Currently		
						A T	receiving		
							chemotherapy		
							for cancer		
							6. Congenital		
							anomalies		
					C		7. Congestive		
							heart failure		
							8. Current		
							smoker		
			4	AK			9. Chronic		
							renal failure		
							10.		
							Cerebrovascul		
		A					ar Accident		
							(CVA)		
							11. Diabetes		
		6/4					mellitus		
							12.		
							Disseminated		
							cancer		
							13. Advanced		
	A						directive		
							limiting care		
							15.		
	4						Functionally		

		_	1		1	,		,			
									psychiatric		
									illness		
								4	28. Drug use		
									disorder		
									30. Attention		
								7	deficit		
						1			disorder/atten		
									tion deficit		
							P		hyperactivity		
									disorder		
						A A			(ADD/ADHD)		
	Complication	Х		Yes	HospitalCo	Xs:integer	Yes Max	R	Must be	Any medical	W
					mplication	1	10		present if	complication	
				4					Record Type	that occurred	
				1					50 is present.	during the	
										patient's stay at	
									Must be coded	your hospital.	
									as:		
										The value of 0	
									0 Not	for "Not	
									Applicable	Applicable"	
94			6/%	1					1. Other	should be used	
				,					4. Acute	for patients	
									kidney injury	with no	
		0 4							5. Adult	complications.	
		A A							respiratory		
			<i>P</i>						distress	For any Hospital	
		A Y							syndrome	Complication to	
									(ARDS)	be valid, there	
	,								8. Cardiac	must be a	
		7							arrest with	diagnosis noted	
									CPR	in the patient	

intubation 29.

		<u> </u>					 		20 11 1		
									30. Unplanned		
									return to the		
									OR		
								7	31. Unplanned		
									admission to		
									the ICU		
									32. Severe		
						A.			sepsis		
									33. Catheter-		
									associated		
									urinary tract		
									infection		
									(CAUTI)		
					4				34. Central		
				4	A				line-associated		
									bloodstream		
									infection		
									(CLABSI)		
			A						35. Ventilator-		
									associated		
									pneumonia		
									(VAP)		
	ICD10 Hospital	Х	679	Yes	ICD10Hospi	Xs:string	Yes Max	R	Must be	Major and	В
	Procedure Code				talProcedu		200.		present if	minor	
					reCode				Record Type	procedure ICD-	
		0 A							60 is present.	10-	
										CMprocedureco	
95			P						Must be a	des.	
									valid value		
									(ICD-10	Include only	
									CMonly).	procedures	
									Civioiny).	performed at	
		*							Drocoduras		
									Procedures	your institution.	

						with the same	Cantuma all	
						code cannot have the same	Capture all procedures	
					A T	Hospital	performed in	
						Procedure	the operating	
						Start Date and	room.	
						Time.	100111.	
						Tittle.	Capture all	
							procedures in	
							the ED, ICU,	
							ward, or	
				A A			radiology	
							department	
			1				that were	
			AK				essential to the	
							diagnosis,	
							stabilization, or	
							treatment of	
							the patient's	
							specific injuries	
							or their	
		7					complications.	
							Procedures	
							with an asterisk	
							have the	
							potential to be	
							performed	
	<i>y</i>						multiple times	
							during one	
							episode of	
							hospitalization.	
							In this case,	

	Hospital Procedures	X	No	HospitalPro	Xs:date	Yes	R	Must be a	capture only the first event. If there is no asterisk, capture each event even if there is more than one. Note that the hospital may capture additional procedures. The date	В
96	Start Date			cedureStar				valid date format (CCYYMMDD). Hospital Procedure Start Date cannot be earlier than EMS Dispatch Date. Hospital Procedure Start Date cannot be earlier than	operative and selected non-operative procedures were performed.	

		T	T			1	
					Arrival on		
					Scene Date.		
				A 7	Hospital		
					Procedure		
					Start Date		
					cannot be		
					earlier than		
					EMS Unit		
					Scene		
					Departure		
			A A		Date.		
		4			Hospital		
		AK			Procedure		
	A				Start Date		
		-			cannot be		
					earlier than		
					ED/Hospital		
					Arrival Date.		
					Hospital		
	• / TV				Procedure		
					Start Date		
					cannot be		
					later than		
					Hospital		
	,				Discharge		
					Date.		
					Hospital		
7					Procedure		
					Start Date		

						cannot be earlier than Date of Birth.		
Hospital Procedures Start Time	X	HospitalPro cedureStar tTime	Xs:time	Yes	R	Collected as HH:MM military time between 00:00 to 23:59. Hospital Procedure Start Time cannot be earlier than EMS Dispatch Time. Hospital Procedure Start Time cannot be earlier than EMS Unit Arrival on Scene Time. Hospital Procedure Start Time cannot be earlier than EMS Unit Arrival on Scene Time.	The time operative and selected non-operative procedures were performed. Procedure start time is defined as the time the incision was made(or the procedure started). If distinct procedures with the same procedure code are performed, their start times must be different.	В

								Scene Departure Time. Hospital Procedure Start Time cannot be earlier than ED/Hospital Arrival Time. Hospital Procedure Start Time cannot be later than Hospital Discharge		
								Time.		
98	Additional ICD10 External Cause Code	X	Yes	Additionall CD10Exter nalCauseCo de	Xs:string	Yes Max 50.	R	E-Code is not a valid ICD-10-CM code (ICD-10CM only). Additional External Cause Code ICD-10 should not be equal to Primary External Cause	Should not be the same as the Primary External Cause Code. RelevantICD-10-CMcode value for injury event. External cause codes are used	W

		1	<u> </u>	6-4-160 40	44-
				Code ICD-10.	to auto-
					generate two
				E-Code is not a	calculated
				valid ICD-10-	fields: Trauma
				CAcode (ICD-	Type: (Blunt,
				10 CA only). V00-Y38, Y62-	Penetrating,
				Y84, Y90-Y99,	Burn) and
				Z00-Z99	Intentionality(b
				200 233	ased upon CDC
					matrix).
		A A			Only ICD-10-CM
					codes will be
	1				accepted for
	AK				ICD-10
					Additional
					External Cause
					Code.
					code.
					Activity codes
					should not be
					reported in this
					field.
					Must be a valid
					ICD-10-CM
					Ecode 3 to 7
					digits/character
					s long (exclude
					decimal point)
					V00-Y38, Y62-
					Y84, Y90-Y99,
					Z00-Z99

	Primary Ecode ICD-9-CM	Х	Х	Yes	PrimaryEco	Xs:string	No	R	Must be	ECode used to	W
	·				delCD9CM				present.	describe the	
1					30.0200				-	mechanism (or	
									Must be a	external factor)	
									valid ICD-9-CM	that caused the	
									Ecode.	injury event.	
									(exclude		
									decimal point)	(If two or more	
						A			E800 through	events cause	
									E999.	separate	
							<i>y</i>			injuries, an E	
									Exclude	code should be	
									E849.0 –	assigned for	
									E849.9,	each cause. The	
									E869.4, E870 –	first-listed E	
					4 1				E879, E930 –	code should	
									E949 and E967	correspond to	
				A					as they are not	the cause of the	
99									valid for	most serious	
									Primary	diagnosis due	
									ECode.	to an assault,	
			A							accident, or	
										self-harm. A	
										code for the	
										ICD-9-CM	
			6/7							external cause	
										of injury that	
										permits	
		0 A								classification of	
										environmental	
										events,	
										circumstances,	
										and conditions	
										as the cause of	
										injury,	
		<i>F</i>								poisoning, and	
										other adverse	
			ĺ	1	ĺ		1			effects.)	1

100	Location Ecode ICD-9- CM	х	х	Yes	LocationEc odeICD9C M	Xs:string	No	R	Must be present. Must be a valid ICD-9-CM Ecode 849.X (exclude	E-code used to describe the place/site/locat ion of the injury event (E 849.X).	W
						Ċ				Relevant ICD-9- CM code value for injury event	

Trauma Data Code Tables

Table 1. DPH and CHIA Organization IDs for Hospitals

DPHOrg ID	CHIAOrgID	Organization Name
2006	1	Anna Jaques Hospital
2226	2	Athol Memorial Hospital
2120	5	Baystate Franklin Medical Center
2148	6	Baystate Mary Lane Hospital
2339	4	Baystate Medical Center
2181	139	Baystate Wing Memorial Hospital
2313	7	Berkshire Medical Center –725 North Street
2227	98	Beth Israel Deaconess Hospital - Milton
2054	53	Beth Israel Deaconess Hospital - Needham
2082	79	Beth Israel Deaconess Hospital - Plymouth
2069	10	Beth Israel Deaconess Medical Center - East Campus
2092	140	Beth Israel Deaconess Medical Center - West Campus
2016	109	Beverly Hospital - Addison Gilbert Campus
2007	110	Beverly Hospital - Lahey Health
2139	46	Boston Children's Hospital
2084	144	Boston Medical Center - East Newton Campus
2307	16	Boston Medical Center - Menino Pavilion
2048	59	Brigham and Women's Faulkner Hospital
2341	22	Brigham and Women's Hospital
2108	27	Cambridge Health Alliance - Cambridge Campus
2001	143	Cambridge Health Alliance - Somerville Campus
2046	142	Cambridge Health Alliance - Whidden Memorial Campus
2135	39	Cape Cod Hospital
2003	42	Carney Hospital - Steward Health Care Network
2126	132	Clinton Hospital
2155	50	Cooley Dickinson Hospital
2335	51	Dana-Farber Cancer Institute
2018	57	Emerson Hospital
2052	8	Fairview Hospital
2289	40	Falmouth Hospital
2311	62	Good Samaritan Medical Center - Steward Health Care Network
2038	66	Hallmark Health System - Lawrence Memorial Hospital

2058	141	Hallmark Health System - Melrose-Wakefield Hospital
2143	68	Harrington Hospital
2036	73	Heywood Hospital
2225	75	Holy Family Hospital - Steward Health Care Network
	11466	Holy Family Hospital at Merrimack Valley - Steward Health Care
2131	11400	Network (old number 70)
2145	77	Holyoke Medical Center
2091	136	Kindred Hospital Boston
2171	135	Kindred Hospital Boston North Shore
2342	81	Lahey Hospital & Medical Center - Burlington
2161	4448	Lahey Medical Center North Shore/Peabody
2099	83	Lawrence General Hospital
2040	85	Lowell General Hospital
2029	115	Lowell General Hospital - Saints Campus
2103	133	Marlborough Hospital
2042	88	Martha's Vineyard Hospital
2167	89	Massachusetts Eye and Ear Infirmary
2168	91	Massachusetts General Hospital
2149	119	Mercy Medical Center - Springfield Campus
2020	49	MetroWest Medical Center - Framingham Union Campus
2039	457	MetroWest Medical Center - Leonard Morse/Natick
2105	97	Milford Regional Medical Center
2022	99	Morton Hospital - Steward Health Care Network
2071	100	Mount Auburn Hospital
2044	101	Nantucket Cottage Hospital
	11467	Nashoba Valley Medical Center - Steward Health Care Network
2298	11407	(old number 52)
2059	103	New England Baptist Hospital
2075	105	Newton-Wellesley Hospital
2076	106	Baystate Noble Hospital
2014	116	North Shore Medical Center - Salem Campus
2008	3	North Shore Medical Center - Union Campus
2114	41	Norwood Hospital - Steward Health Care Network
2011	114	Saint Anne's Hospital - Steward Health Care Network
2128	127	Saint Vincent Hospital
2118	25	Signature Healthcare Brockton Hospital

2107	122	South Shore Hospital
2337	123	Southcoast Hospitals Group - Charlton Memorial Campus
2010	124	Southcoast Hospitals Group - St. Luke's Campus
2106	145	Southcoast Hospitals Group - Tobey Hospital Campus
2085	126	St. Elizabeth's Medical Center - Steward Health Care Network
2100	129	Sturdy Memorial Hospital
	104	Tufts Medical Center and Floating Hospital for Children
2299	104	(Pediatric Trauma)
2299	10177	Tufts Medical Center (Adult Trauma)
2127	8548	Umass Memorial Health Alliance Hospital - Burbank Campus
	8509	Umass Memorial Health Alliance Hospital - Leominister Campus
2127	6303	(old number 71)
2124	130	UMass Memorial Medical Center - Memorial Campus
2841	131	UMass Memorial Medical Center - University Campus
2094	138	Winchester Hospital

Table 2. Postal State Codes

Valid Entries	Definition
AL	Alabama
AK	Alaska
AZ	Arizona
AR	Arkansas
CA	California
СО	Colorado
СТ	Connecticut
DE	Delaware
DC	District of Columbia
FL	Florida
GA	Georgia
HI	Hawaii
ID	Idaho
IL	Illinois
IN	Indiana
IA	Iowa

KS	Kansas
KY	Kentucky
LA	Louisiana
ME	Maine
MD	Maryland
MA	Massachusetts
MI	Michigan
MN	Minnesota
MS	Mississippi
МО	Missouri
MT	Montana
NE	Nebraska
NV	Nevada
NH	New Hampshire
NJ	New Jersey
NM	New Mexico
NY	New York
NC	North Carolina
ND	North Dakota
ОН	Ohio
ОК	Oklahoma
OR	Oregon
PA	Pennsylvania
RI	Rhode Island
SC	South Carolina
SD	South Dakota
TN	Tennessee
TX	Texas
UT	Utah
VT	Vermont
VA	Virginia
WA	Washington
WV	West Virginia
WI	Wisconsin
WY	Wyoming

Table 3. Level of Service

Valid Entries	Definition
1	Outpatient Emergency Department Stay
2	Outpatient Observation Stay
3	Inpatient Stay
4	Death on Arrival

Massachusetts Trauma .XSD

Please note that we are not strictly validating against the .XSD, it is for reference purposes only. Since we accept data in both XML and fixed length, the majority of data validation happens after the data is loaded from the XML file into the data base environment.

Note: When writing up the XML element tags, the coding should not include "biu=" . For example, HomeCity should be coded as <HomeCity>76678</HomeCity> rather than something like <HomeCity biu='76678'/>.

```
<?xmlversion="1.0"encoding="UTF-8"?>
<xs:schemaxmlns:xs="http://www.w3.org/2001/XMLSchema"elementFormDefault="qualified"attrib</pre>
uteFormDefault="unqualified">
<xs:elementname="MDPHTraumaRecords">
<xs:annotation>
<xs:documentation>Root Tag</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:sequence>
<xs:elementname="MDPHTraumaRecord"minOccurs="1"maxOccurs="unbounded"</pre>
<xs:complexType>
<xs:all>
<xs:elementname="PatientId">
<xs:annotation>
<xs:documentation>Patient's Social Security Number.
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:string"</pre>
</xs:simpleType>
</xs:element>
<xs:elementname="FacilityId">
<xs:annotation>
<xs:documentation>The CHIA Filing OrgID</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:string"</pre>
</xs:simpleType>
</xs:element>
<xs:elementname="FacilitySiteId">
<xs:annotation>
<xs:documentation>The CHIA Facility Site Org ID</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:string" />
</xs:simpleType>
</xs:element>
<xs:elementname="InterFacilityTransfer">
<xs:annotation>
<xs:documentation>Determination if the patient was transferred from another acute care
facility.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="InterFacilityTransfer">
<xs:attributeref="biu" />
</xs:extension>
```

```
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="FacilitySiteIdOfTransferringHospital">
<xs:annotation>
<xs:documentation>Facility Site ID of Transferring Hospital</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:string" />
</xs:simpleType>
</xs:element>
<xs:elementname="DPHFacilityIDNumber">
<xs:annotation>
<xs:documentation>A number assigned by the Department of Public Health to identify the
facility.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:string" />
</xs:simpleType>
</xs:element>
<xs:elementname="DepartureTimeSceneOrTransferring">
<xs:annotation>
<xs:documentation>Time the patient left the originating hospital if a transfer
patient.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="Time">
<xs:attributeref="biu"/>
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="HospitalArrivalDate">
<xs:annotation>
<xs:documentation>The date and time the patient arrived to the
ED/hospital.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="HospitalArrivalDate">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="HospitalArrivalTime">
<xs:annotation>
<xs:documentation>The date and time the patient arrived to the
ED/hospital.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="HospitalArrivalTime">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
```

```
<xs:elementname="EDDischargeDate">
<xs:annotation>
<xs:documentation>The date and time the patient arrived to the
ED/hospital.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="EDDischargeDate">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="EDDischargeTime">
<xs:annotation>
<xs:documentation>The date and time the patient arrived to the
ED/hospital.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="EDDischargeTime">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="MedicalRecordNumber">
<xs:annotation>
<xs:documentation>Patient's hospital Medical Record Number.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:string" />
</xs:simpleType>
</xs:element>
<xs:elementname="DateOfBirth">
<xs:annotation>
<xs:documentation>The patient's date of birth.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="DateOfBirth">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="Sex">
<xs:annotation>
<xs:documentation>The patient's sex.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="Sex">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="PatientStreetAddress">
```

```
<xs:annotation>
<xs:documentation>Patient's Street Address.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:string" />
</xs:simpleType>
</xs:element>
<xs:elementname="HomeCity">
<xs:annotation>
<xs:documentation>The patient's home city (or township, village) of
residence.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="HomeCity">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="HomeZip">
<xs:annotation>
<xs:documentation>The patient's home ZIP code of residence</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="Zip">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="PatientHomeCountry">
<xs:annotation>
<xs:documentation>The country where the patient resides.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:string" />
</xs:simpleType>
</xs:element>
<xs:elementname="PatientHomeCounty">
<xs:annotation>
<xs:documentation>The patient's county(or parish) of residence.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="AlternateHomeResidence">
<xs:annotation>
<xs:documentation>Documentation of the type of patient without a homeZIP/Postal
code.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:string" />
</xs:simpleType>
</xs:element>
<xs:elementname="Age">
<xs:annotation>
```

```
<xs:documentation>The patient'sage atthe time of injury (best
approximation).</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="AgeUnits">
<xs:annotation>
<xs:documentation>The units used to document the patient's age (Minutes, Hours,
Days,Months, Years).</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="Ethnicity">
<xs:annotation>
<xs:documentation>The patient'sethnicity.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="PatientOccupationalIndustry">
<xs:annotation>
<xs:documentation>The occupational industryassociated with the patient's work
environment.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="PatientOccupation">
<xs:annotation>
<xs:documentation>The occupation of the patient.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="ICD10PrimaryExternalCauseCode">
<xs:annotation>
<xs:documentation>The primary external cause code should describe the main reason a
patient is admitted to the hospital.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:string" />
</xs:simpleType>
</xs:element>
<xs:elementname="ICD10PlaceofOccurrenceExternalCauseCode">
<xs:annotation>
<xs:documentation>Place of occurrence external cause code used to describe the
place/site/locationof the injury event (Y92.x).</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:string" />
</xs:simpleType>
</xs:element>
```

```
<xs:elementname="IncidentLocationPostalCode">
<xs:annotation>
<xs:documentation>The ZIP/Postal code of the incidentlocation.
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:string" />
</xs:simpleType>
</xs:element>
<xs:elementname="IncidentCountry">
<xs:annotation>
<xs:documentation>The country where the patient was found or to whichthe unit responded
(or bestapproximation).</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:string" />
</xs:simpleType>
</xs:element>
<xs:elementname="IncidentCounty">
<xs:annotation>
<xs:documentation>The county or parish where the patient was found or towhich the
unitresponded (or bestapproximation).</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:string" />
</xs:simpleType>
</xs:element>
<xs:elementname="ReportofPhysicalAbuse"</pre>
<xs:annotation>
<xs:documentation>A report of suspected physical abuse was made to law enforcement and/or
protective services.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="InvestigationofPhysicalAbuse">
<xs:annotation>
<xs:documentation>An investigation by law enforcementand/or protective services
wasinitiated because of the suspected physical abuse.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="CaregiveratDischarge">
<xs:annotation>
<xs:documentation>The patient was discharged to a caregiver different than the caregiver
at admission due to suspected physical abuse.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="EMSDispatchDate">
<xs:annotation>
<xs:documentation>The date the unit transporting to your hospital was notified by
dispatch.</xs:documentation>
</xs:annotation>
</xs:element>
```

```
<xs:elementname="EMSDispatchTime">
<xs:annotation>
<xs:documentation>The time the unit transporting to your hospital was notified by
dispatch.</xs:documentation>
</xs:annotation>
</xs:element>
<xs:elementname="EMSUnitArrivalDateatSceneorTransferringFacility">
<xs:annotation>
<xs:documentation>The date the unit transporting to your hospital arrived on the
scene/transferring facility.</xs:documentation>
</xs:annotation>
</xs:element>
<xs:elementname="EMSUnitArrivalTimeatSceneorTransferringFacility">
<xs:annotation>
<xs:documentation>The time the unit transporting to your hospital arrived on the
scene.</xs:documentation>
</xs:annotation>
</xs:element>
<xs:elementname="EMSUnitDepartureDatefromSceneorTransferringFacility">
<xs:annotation>
<xs:documentation>The date the unit transporting to your hospital left the
scene.</xs:documentation>
</xs:annotation>
</xs:element>
<xs:elementname="EMSUnitDepartureTimefromSceneorTransferringFacility">
<xs:annotation>
<xs:documentation>The time the unit transporting to your hospital leftthe
scene.</xs:documentation>
</xs:annotation>
</xs:element>
<xs:elementname="InitialFieldsystolicbloodpressure">
<xs:annotation>
<xs:documentation>First recorded systolic blood pressure measured at the scene of
injury.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer"</pre>
</xs:simpleType>
</xs:element>
<xs:elementname="InitialFieldPulseRate">
<xs:annotation>
<xs:documentation>First recorded pulse measured at thescene of injury (palpated or
auscultated), expressed as a number perminute./xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="InitialFieldRespiratoryRate">
<xs:annotation>
<xs:documentation>First recorded respiratory rate measured at the scene ofinjury
(expressed as a number per minute).</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="InitialFieldOxygenSaturation">
<xs:annotation>
```

```
<xs:documentation>First recorded oxygen saturation measured atthe scene of injury
(expressed as a percentage).</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="InitialFieldGCSEYE">
<xs:annotation>
<xs:documentation>First recorded Glasgow Coma Score (Eye) measuredat the scene of
injury.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="InitialFieldGCSVerbal">
<xs:annotation>
<xs:documentation>First recorded Glasgow Coma Score (Verbal) measured at the scene of
injury.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="InitialFieldGCSMotor">
<xs:annotation>
<xs:documentation>First recorded Glasgow Coma Score (Motor) measured at thescene of
injury.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="InitialFieldGCSTotal">
<xs:annotation>
<xs:documentation>First recorded Glasgow Coma Score (total) measured at the scene of
injury.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="Traumacentercriteria">
<xs:annotation>
<xs:documentation>Physiologic and anatomic EMS trauma triage criteria for transport to a
trauma center.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:string" />
</xs:simpleType>
</xs:element>
<xs:elementname="Vehicularpedestrianotherriskinjury">
<xs:annotation>
<xs:documentation>EMS trauma triage mechanism of injury criteria for transport to a
trauma center.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
```

```
</xs:simpleType>
</xs:element>
<xs:elementname="Prehospitalcardiacarrest">
<xs:annotation>
<xs:documentation>Indication of whether patient experienced cardiac arrest prior to
ED/Hospital arrival.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="InitialEDHospitaltemperature">
<xs:annotation>
<xs:documentation>First recorded temperature (in degrees Celsius [centigrade]) in the
ED/hospitalwithin 30 minutes or less of ED/hospital arrival.
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:string" />
</xs:simpleType>
</xs:element>
<xs:elementname="InitialEDHospitalRespiratoryAssistance">
<xs:annotation>
<xs:documentation>Determination ofrespiratory assistance associated with the initial
ED/hospital respiratoryrate within 30 minutes or lessof ED/hospital
arrival.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer"</pre>
</xs:simpleType>
</xs:element>
<xs:elementname="InitialEDHospitalOxygenSaturation">
<xs:annotation>
<xs:documentation>First recorded oxygen saturation in theED/hospital within 30 minutes or
less of ED/hospital arrival (expressed as a percentage).
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="InitialEDHospitalSupplementalOxygen">
<xs:annotation>
<xs:documentation>Determination of the presence of supplemental oxygen during assessment
ofinitial ED/hospital oxygen saturation level within 30minutes or less of ED/hospital
arrival.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="InitialEDHospitalHeight">
<xs:annotation>
<xs:documentation>First recorded height upon ED/hospitalarrival.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
```

```
<xs:elementname="InitialEDHospitalweight">
<xs:annotation>
<xs:documentation>Measured or estimated baseline weight.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="EDDischargeDisposition">
<xs:annotation>
<xs:documentation>The disposition of the patient at the time of discharge from the
ED.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="Signsoflife">
<xs:annotation>
<xs:documentation>Indication of whether patient arrived atED/Hospitalwith signs of
life.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="TotalICULengthofStay"</pre>
<xs:annotation>
<xs:documentation>The cumulative amount of time spent in the ICU. Each partial or full
day should be measured as one calendar day.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="TotalVentilatorDays">
<xs:annotation>
<xs:documentation>The cumulative amount of time spent onthe ventilator. Each partialor
full day should be measured as one calendar day.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="HospitalDischargeDate">
<xs:annotation>
<xs:documentation>The date theorder waswritten for the patient to be discharged fromthe
hospital.</xs:documentation>
</xs:annotation>
</xs:element>
<xs:elementname="HospitalDischargeTime">
<xs:annotation>
<xs:documentation>The time the order was written for the patient to be discharged from
the hospital.</xs:documentation>
</xs:annotation>
</xs:element>
<xs:elementname="ICD10HospitalProcedureCode">
<xs:complexType>
<xs:sequence>
```

```
<xs:elementname="item"maxOccurs="200">
<xs:complexType>
<xs:sequence>
<xs:elementname="ICD10HospitalProcedureCode">
<xs:annotation>
<xs:documentation>Major and minor procedure ICD-10-CM procedurecodes.</xs:documentation>
</xs:annotation>
</xs:element>
<xs:elementname="HospitalProcedureStartDate">
<xs:annotation>
<xs:documentation>The date operative and selectednon-operative procedures were
performed.</xs:documentation>
</xs:annotation>
</xs:element>
<xs:elementname="HospitalProcedureStartTime">
<xs:annotation>
<xs:documentation>The time operative and selected non-operative procedures were
performed.</xs:documentation>
</xs:annotation>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:elementname="HospitalDischargeDisposition">
<xs:annotation>
<xs:documentation>The disposition of the patient when discharged from the
hospital.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="PrimaryMethodofPayment">
<xs:annotation>
<xs:documentation>Primary source of paymentfor hospital care.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="Race1">
<xs:annotation>
<xs:documentation>The patient's race.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
<xs:elementname="Race2">
<xs:annotation>
<xs:documentation>The patient's race.</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restrictionbase="xs:integer" />
</xs:simpleType>
</xs:element>
```

```
<xs:elementname="AdditionalICD10ExternalCauseCode">
<xs:complexType>
<xs:sequence>
<xs:elementname="item"maxOccurs="50">
<xs:complexType>
<xs:sequence>
<xs:elementname="AdditionalICD10ExternalCauseCode">
<xs:annotation>
<xs:documentation>Additional External Cause Code used in conjunction with the Primary
External Cause Code if multiple external cause codes are required to describe the injury
event.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="AdditionalICD10ExternalCauseCode">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="IncidentDate">
<xs:annotation>
<xs:documentation>The date the injury occurred.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="IncidentDate">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="IncidentTime">
<xs:annotation>
<xs:documentation>The time the injury occurred.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="Time">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="WorkRelated">
<xs:annotation>
<xs:documentation>Indication of whether the injury occurred during paid
employment.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="WorkRelated">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="TransportMode">
<xs:annotation>
```

```
<xs:documentation>The mode of transport delivering the patient to your
hospital.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="WorkRelated">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="ServiceLevel">
<xs:annotation>
<xs:documentation>The highest level of service provided in the hospital
setting.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="ServiceLevel">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="IncidentCity">
<xs:annotation>
<xs:documentation>The city or township where the patient was found or to which the unit
responded (or best approximation).</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="IncidentCity">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="IncidentState"</pre>
<xs:annotation>
<xs:documentation>The State where the patient was found or to which the unit responded
(or best approximation)./xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="IncidentState">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="AlcoholUseIndicators">
<xs:annotation>
<xs:documentation>Use of alcohol by the patient.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="AlcoholUseIndicators">
<xs:attributeref="biu" />
</xs:extension>
```

```
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="DrugUseIndicators">
<xs:complexType>
<xs:sequence>
<xs:elementname="item"maxOccurs="2">
<xs:complexType>
<xs:sequence>
<xs:elementname="DrugUseIndicator">
<xs:annotation>
<xs:documentation>Use of drugs by the patient.
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="DrugUseIndicator">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:elementname="GcsEye">
<xs:annotation>
<xs:documentation>First recorded Glasgow Coma Score (Eye) in the
ED/hospital.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="GcsEye">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="GcsVerbal">
<xs:annotation>
<xs:documentation>First recorded Glasgow Coma Score (Verbal) in the
ED/hospital.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="GcsVerbal">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="GcsMotor">
<xs:annotation>
<xs:documentation>First recorded Glasgow Coma Score (Motor) in the
ED/hospital.</xs:documentation>
</xs:annotation>
<xs:complexType>
```

```
<xs:simpleContent>
<xs:extensionbase="GcsMotor">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="TotalGcs">
<xs:annotation>
<xs:documentation>First recorded Glasgow Coma Score (total) in the
ED/hospital.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="TotalGcs">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="GcsQualifiers">
<xs:complexType>
<xs:sequence>
<xs:elementname="item"maxOccurs="3">
<xs:complexType>
<xs:sequence>
<xs:elementname="GcsQualifier">
<xs:annotation>
<xs:documentation>Documentation of factors potentially affecting the first assessment of
GCS upon arrival in the ED/hospital.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="GcsQualifier"</pre>
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:elementname="RespiratoryRate">
<xs:annotation>
<xs:documentation>First recorded respiratory rate in the ED/hospital (expressed as a
number per minute).</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="RespiratoryRate">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="Sbp">
```

```
<xs:annotation>
<xs:documentation>First recorded systolic blood pressure in the
ED/Hospital</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="Sbp">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="PulseRate">
<xs:annotation>
<xs:documentation>First recorded systolic blood pressure in the
ED/hospital.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="PulseRate">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="PrimaryEcodeICD9CM">
<xs:annotation>
<xs:documentation>ECode used to describe the mechanism (or external factor) that caused the injury event.(If
two or more events cause separate injuries, an E code should be assigned for each cause. The first-listed E code
should correspond to the cause of the most serious diagnosis due to an assault, accident, or self-harm. A code for
the ICD-9-CM external cause of injury that permits classification of environmental events, circumstances, and
conditions as the cause of injury, poisoning, and other adverse effects.)
</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="PrimaryEcodeICD9CM">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="LocationEcodeICD9CM">
<xs:annotation>
<xs:documentation>E-code used to describe the place/site/location of the injury event (E 849.X). Relevant ICD-
9-CM code value for injury event.
</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="LocationEcodeICD9CM">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="InjuryDiagnoses">
<xs:complexType>
```

```
<xs:sequence>
<xs:elementname="item"maxOccurs="50">
<xs:complexType>
<xs:sequence>
<xs:elementname="InjuryDiagnosis">
<xs:annotation>
<xs:documentation>Diagnoses related to all identified injuries.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="InjuryDiagnosis">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="AIS">
<xs:annotation>
<xs:documentation>AIS numerical injury identifier.Must be a valid AIS 90 code. Must
consist of 6 numbers followed by a decimal point followed by 1 number. The number
following the decimal point must be as specified in Data Code Tables. (Table 10) (1-
6).</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="AIS">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="AISVersion">
<xs:annotation>
<xs:documentation>Indicates which version of AIS is used to calculate AIS90. Only the
1998 revision of AIS90 or an earlier version are accepted. Must be present for each
Diagnosis Code. Must be 85, 90 or 98.
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="AISVersion">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="ICD9CMDiagnosisCode">
<xs:annotation>
<xs:documentation>Must be present.
Must be valid ICD-9-CM code. (exclude decimal point).</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="ICD9CMDiagnosisCode ">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
```

```
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:elementname="ProtectiveDevices">
<xs:complexType>
<xs:sequence>
<xs:elementname="item"maxOccurs="unbounded">
<xs:complexType>
<xs:sequence>
<xs:elementname="ProtectiveDevice">
<xs:annotation>
<xs:documentation>Protective devices (safety equipment) in use or worn by the patient at
the time of the injury.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="ProtectiveDevice">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:elementname="ChildSpecificRestraint">
<xs:annotation>
<xs:documentation>Protective child restraint devices used by patient at the time of
injury.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="ChildSpecificRestraint">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:elementname="AirbagDeployments">
<xs:complexType>
<xs:sequence>
<xs:elementname="item"maxOccurs="unbounded">
<xs:complexType>
<xs:sequence>
<xs:elementname="AirbagDeployment">
<xs:annotation>
<xs:documentation>Indication of an airbag deployment during a motor vehicle
crash.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="AirbagDeployment">
<xs:attributeref="biu" />
```

```
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:elementname="OtherTransportMode">
<xs:complexType>
<xs:sequence>
<xs:elementname="item"maxOccurs="5">
<xs:annotation>
<xs:documentation>All other modes of transportused during patient care event (prior to
arrival at your hospital), except the mode delivering the patientto the
hospital.</xs:documentation>
</xs:annotation>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:elementname="ComorbidConditions">
<xs:complexType>
<xs:sequence>
<xs:elementname="item"maxOccurs="5">
<xs:complexType>
<xs:sequence>
<xs:elementname="ComorbidCondition">
<xs:annotation>
<xs:documentation>Pre-existing comorbid factors present at patient arrive to
ED/hospital.</xs:documentation>
</xs:annotation>
<xs:complexType>
<xs:simpleContent>
<xs:extensionbase="ComorbidCondition">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:elementname="HospitalComplications">
<xs:complexType>
<xs:all>
<xs:elementname="item"maxOccurs="10">
<xs:complexType>
<xs:sequence>
<xs:elementname="HospitalComplication">
<xs:annotation>
<xs:documentation>Diagnoses related to all identified injuries.</xs:documentation>
</xs:annotation>
<xs:complexType>
```

```
<xs:simpleContent>
<xs:extensionbase="HospitalComplication">
<xs:attributeref="biu" />
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:sequence>
<xs:attributename="MDPHTraumaVersion"use="required"fixed="v1.0.0"//>
</xs:complexType>
</xs:element>
</xs:schema>
```

Massachusetts Trauma Sample XML File

Please note that the purpose of this sample is to show sample XML formatting. It is not meant to show realistic data.

Note: When writing up the XML element tags, the coding should not include "biu=" . For example, HomeCity should be coded as <HomeCity>76678</HomeCity> rather than something like <HomeCity biu='76678'/>.

```
<?xml version="1.0"?>
<MDPHTraumaRecords MDPHTraumaVersion="v1.0.0">
<MDPHTraumaRecord>
      <PatientId>099889995</PatientId>
      <FacilityId>105</FacilityId>
      <FacilitySiteId>105</FacilitySiteId>
<InterFacilityTransfer>1</InterFacilityTransfer>
<FacilitySiteIdOfTransferringHospital>16</FacilitySiteIdOfTransferringHospital>
<EDDischargeDate>2016-01-01</EDDischargeDate>
<EDDischargeTime>05:05</ EDDischargeTime >
<HospitalArrivalDate>2016-01-01
/HospitalArrivalDate>
<HospitalArrivalTime>05:05/HospitalArrivalTime>
      <MedicalRecordNumber>567765345</MedicalRecordNumber>
<DateOfBirth>1978-04-24/DateOfBirth>
      <Sex>1</Sex>
      <PatientStreetAddress>100 Main Street</PatientStreetAddress>
<HomeCity>76678</HomeCity>
<HomeZip>02702</HomeZip>
<IncidentDate>2016-01-01</IncidentDate>
<IncidentTime>13:02</IncidentTime>
<WorkRelated>1</WorkRelated>
<TransportMode>4</TransportMode>
<IncidentCity>12345</IncidentCity>
<AlcoholUseIndicators>2</AlcoholUseIndicators>
<DrugUseIndicators>
<item>
<DrugUseIndicator>3</DrugUseIndicator>
</item>
<item>
<DrugUseIndicator>2</DrugUseIndicator>
</item>
</DrugUseIndicators>
<GcsEve>1</GcsEve>
<GcsVerbal>2</GcsVerbal>
<GcsMotor>4</GcsMotor>
<TotalGcs>7</TotalGcs>
```

```
<GcsQualifiers>
      <item>
      <GcsQualifier>1</GcsQualifier>
      </item>
      <item>
      <GcsQualifier>2</GcsQualifier>
      </item>
      <item>
      <GcsQualifier>3</GcsQualifier>
      </item>
      </GcsQualifiers>
<RespiratoryRate>60</RespiratoryRate>
<Sbp>120</Sbp>
<PulseRate>125</PulseRate>
<InjuryDiagnoses>
<item>
<InjuryDiagnosis>9598</InjuryDiagnosis>
                           <AIS>767877.8</AIS>
                           <AISVersion>08</AISVersion>
                           <ICD9CMDiagnosisCode>9598</ICD9CMDiagnosisCode>
</item>
<item>
<InjuryDiagnosis>9598</InjuryDiagnosis>
                           <AIS>767877.9</AIS>
                           <AISVersion>08</AISVersion>
</item>
InjuryDiagnoses>
      <ProtectiveDevices>
<item>
<ProtectiveDevice>1</ProtectiveDevice>
</item>
<item>
<ProtectiveDevice>7</ProtectiveDevice>
</item>
</ProtectiveDevices>
<ChildSpecificRestraint>1</ChildSpecificRestraint>
<AirbagDeployments>
<item>
<AirbagDeployment>3</AirbagDeployment>
</item>
</AirbagDeployments>
<ComorbidConditions>
<item>
<ComorbidCondition>20</ComorbidCondition>
```

```
</item>
</ComorbidConditions>
      <OtherTransportMode>
<item>
<OtherTransportMode>9</OtherTransportMode>
</item>
<item>
<OtherTransportMode>8</OtherTransportMode>
</item>
<item>
<OtherTransportMode>7</OtherTransportMode>
</item>
<item>
<OtherTransportMode>6</OtherTransportMode>
</OtherTransportMode>
<HospitalComplications>
<item>
<HospitalComplication>123456
/HospitalComplication>
</item>
</HospitalComplications>
<DPHFacilityIDNumber>4</DPHFacilityIDNumber>
<ServiceLevel>8</ServiceLevel>
<PatientHomeCountry>10</PatientHomeCountry>
<PatientHomeCounty>666</PatientHomeCounty>
<AlternateHomeResidence>99</AlternateHomeResidence>
<Age>38</Age>
<AgeUnits>11</AgeUnits>
<Ethnicity>22</Ethnicity>
<PatientOccupationalIndustry>33</PatientOccupationalIndustry>
<PatientOccupation>44</PatientOccupation>
<ICD10PrimaryExternalCauseCode>7777777</ICD10PrimaryExternalCauseCode>
<ICD10PlaceofOccurrenceExternalCauseCode>88888888</ICD10PlaceofOccurrenceExternalCau
seCode>
<IncidentLocationPostalCode>028934444</incidentLocationPostalCode>
<IncidentCountry>12</IncidentCountry>
<IncidentCounty>32</IncidentCounty>
<ReportofPhysicalAbuse>1</ReportofPhysicalAbuse>
<InvestigationofPhysicalAbuse>2</InvestigationofPhysicalAbuse>
<CaregiveratDischarge>9</CaregiveratDischarge>
<EMSDispatchDate>20160101</EMSDispatchDate>
<EMSDispatchTime>10:20</EMSDispatchTime>
<EMSUnitArrivalDateatSceneorTransferringFacility>2016-01-
```

01</EMSUnitArrivalDateatSceneorTransferringFacility>

```
<EMSUnitArrivalTimeatSceneorTransferringFacility>10:35</EMSUnitArrivalTimeatSceneorTrans
ferringFacility>
<EMSUnitDepartureDatefromSceneorTransferringFacility>2016-01-
01</EMSUnitDepartureDatefromSceneorTransferringFacility>
<EMSUnitDepartureTimefromSceneorTransferringFacility>10:36</EMSUnitDepartureTimefrom
SceneorTransferringFacility>
<InitialFieldsystolicbloodpressure>120</InitialFieldsystolicbloodpressure>
<InitialFieldPulseRate>150/InitialFieldPulseRate>
<InitialFieldRespiratoryRate>170</InitialFieldRespiratoryRate>
<InitialFieldOxygenSaturation>180</InitialFieldOxygenSaturation>
<InitialFieldGCSEYE>5</InitialFieldGCSEYE>
<InitialFieldGCSVerbal>6</InitialFieldGCSVerbal>
<InitialFieldGCSMotor>7</InitialFieldGCSMotor>
<InitialFieldGCSTotal>20</InitialFieldGCSTotal>
<Traumacentercriteria>11</Traumacentercriteria>
<Vehicularpedestrianotherriskinjury>12</Vehicularpedestrianotherriskinjury>
<Prehospitalcardiacarrest>13</Prehospitalcardiacarrest>
<InitialEDHospitaltemperature>1048</InitialEDHospitaltemperature>
<InitialEDHospitalRespiratoryAssistance>2</InitialEDHospitalRespiratoryAssistance>
<InitialEDHospitalOxygenSaturation>222/InitialEDHospitalOxygenSaturation>
<InitialEDHospitalSupplementalOxygen>1
<InitialEDHospitalHeight>66</InitialEDHospitalHeight>
<InitialEDHospitalweight>148
<EDDischargeDisposition>10</EDDischargeDisposition>
<Signsoflife>13</Signsoflife>
<TotallCULengthofStay>44</TotallCULengthofStay>
<TotalVentilatorDays>43</TotalVentilatorDays>
<HospitalDischargeDate>2016-01-01
/HospitalDischargeDate>
<HospitalDischargeTime>10:37/HospitalDischargeTime>
<HospitalDischargeDisposition>33
<PrimaryMethodofPayment>10</PrimaryMethodofPayment>
<Race1>1</Race1>
<Race2>2</Race2>
<ICD10HospitalProcedureCode>
      <item>
             <ICD10HospitalProcedureCode>2</ICD10HospitalProcedureCode>
                   <HospitalProcedureStartDate>2016-01-01
/HospitalProcedureStartDate>
                   <HospitalProcedureStartTime>12:01
      </item>
      <item>
             <ICD10HospitalProcedureCode>4</ICD10HospitalProcedureCode>
                   <HospitalProcedureStartDate>2016-01-01
/HospitalProcedureStartDate>
                   <HospitalProcedureStartTime>12:02</HospitalProcedureStartTime>
```

```
</item>
      <item>
            <ICD10HospitalProcedureCode>5</ICD10HospitalProcedureCode>
                   <HospitalProcedureStartDate>2016-01-01
/HospitalProcedureStartDate>
                   <HospitalProcedureStartTime>12:03/HospitalProcedureStartTime>
      </item>
</ICD10HospitalProcedureCode>
<IncidentState>7</IncidentState>
<DepartureTimeSceneorTransferring>8</DepartureTimeSceneorTransferring>
<AdditionalICD10ExternalCauseCode>
<item>
<AdditionalICD10ExternalCauseCode>9</AdditionalICD10ExternalCauseCode>
</item>
<item>
<AdditionalICD10ExternalCauseCode>8</AdditionalICD10ExternalCauseCode>
</item>
</AdditionalICD10ExternalCauseCode>
<PrimaryEcodelCD9CM>12345</PrimaryEcodelCD9CM>
<LocationEcodelCD9CM>12345</LocationEcodelCD9CM>
</MDPHTraumaRecord>
</MDPHTraumaRecords>
```